

Real-time tumor tracking delivers high cure rates, decreased side effects for cancer patients

September 16 2021



Credit: Pixabay/CC0 Public Domain

Image-guided radiation therapy has evolved to include the ability to track tumors in real time during treatment. It's improving cure rates and limiting side effects for a growing number of cancer patients.



Think of it like radio making way for television. For more than a century, <u>radiation therapy</u> has been effective in treating cancer. From the first X-rays, to today's computed tomography (CT) scans, physicians have relied on various imaging techniques to locate tumors and guide their treatment. Enter real-time <u>tumor</u> tracking.

"Magnetic Resonance-guided therapy is really a <u>new paradigm</u>," said Dr. Rodney Ellis, chair of the Department of Radiation Oncology at Penn State Health Milton S. Hershey Medical Center. He notes the leadingedge technology merges MRI (Magnetic Resonance Imaging) with a linear accelerator, making it possible to reshape radiation dosage based on daily changes in a tumor's shape, size and position and its surrounding healthy anatomy.

Patients whose care has included use of the technology have survived longer than patients whose care hasn't, Ellis said.

Physicians at Penn State Health deliver the treatment with the MRIdian LINAC by Viewray, which when installed on the ground floor of Penn State Cancer Institute was one of only 17 operating in the U.S.

Ellis and his team selected the MRIdian instead of a competing device because of its ability to turn itself on and off during treatment if the target moves. Because the MRIdian focuses radiation only when the tumor is in the right position, a high-dose treatment is possible.

"Up until this point, we couldn't deliver such high doses without fear of high toxicity. If you have a tighter margin and aren't hurting the normal tissue around it, you can give a higher dose to get a higher cure rate," Ellis said. "Equally important, because the margin is tighter, your side effects go down."

Although MR-guided therapy is most commonly used with pancreatic



and prostate cancer, scientists are only beginning to determine its potential use. Initially they looked at the areas of the body that had the most motion, such as tumors around the lung, liver or pancreas. Now, they are using additional clinical studies to find new ways to use the technology to treat prostate cancer and expand its use to other diseases, such as head and neck and breast cancers.

"More recently, we've seen benefits in patients who are in stage 4 that have <u>cancer</u> that has spread and is technically incurable," Ellis said. "They are living longer, free from dying from their disease by using technologies like this that give high doses of ablative <u>radiation</u> to metastatic sites, if there are only a limited number of identified lesions."

Increased worldwide clinical trials that test the ability to use the new technology, including those at Penn State Health, will help determine where real-time tumor tracking is best suited to both further increase cure rates and decrease side effects.

"We are one of very few sites in the world that is capable of developing new sequences and technologies that are not commercially available to explore this technology," Ellis said. "Not only do we have the right machine, we have the right people and team treating our patients and investigating clinical research to push this <u>technology</u> to its limits."

Provided by Pennsylvania State University

Citation: Real-time tumor tracking delivers high cure rates, decreased side effects for cancer patients (2021, September 16) retrieved 5 May 2024 from https://medicalxpress.com/news/2021-09-real-time-tumor-tracking-high-decreased.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.