


## Can a sexual assault jeopardize a woman's brain health?

September 22 2021



Credit: Pixabay/CC0 Public Domain

Traumatic experiences, including sexual violence, have been linked to poor mental and cardiovascular health in women as they age. A new



study suggests they may also be linked to indicators of cerebrovascular risk that may be precursors to dementia, stroke, and other brain disorders. Study results will be presented during The North American Menopause Society (NAMS) Annual Meeting in Washington, DC, September 22-25, 2021.

To date, little research has been done relative to the relationship between traumatic experiences (notably, sexual assault) and indicators of small vessel disease in the brain, which can lead to cerebrovascular diseases such as stroke. A new study out of the University of Pittsburgh, however, specifically investigated whether traumatic experiences were associated with white matter hyperintensities (WMHs), which are markers of brain small vessel disease. WMHs can be detected decades before the onset of dementia, stroke, and other disorders and can serve as early markers for these disorders.

Of the nearly 150 midlife women involved in the study, 68% reported having at least one trauma, with the most common trauma being sexual assault (23% of the women). After evaluating the data, researchers concluded that women with trauma exposure had greater WMH volume than women without trauma. The particular trauma significantly associated with WMH was sexual assault. Associations between sexual assault and WMHs persisted even after adjusting for depressive or post-traumatic stress symptoms, suggesting that sexual assault may put women at greater risk for poor brain health.

"The results of this study are noteworthy in that sexual assault is an unfortunate, yet all-too-common, experience for women; national data indicate that, on average, up to a third of women have had this experience. This distressing experience is not only important for women's mental health, but also their brain health. This work is a major step toward identifying a novel risk factor for stroke and dementia among women," says Dr. Rebecca Thurston from the University of



Pittsburgh and lead author of the study. "Not only do these results underscore the need for greater prevention of <u>sexual assault</u>, but also provide <u>healthcare professionals</u> with another indicator of who may be at most risk for stroke and dementia later in life."

"Identifying early warning signs of stroke and dementia are critical to providing effective intervention," says Dr. Stephanie Faubion, NAMS medical director. "Studies like this one provide important information about the long-term effects of traumatic experiences on a woman's overall well-being and mental health."

## Provided by The North American Menopause Society

Citation: Can a sexual assault jeopardize a woman's brain health? (2021, September 22) retrieved 19 April 2024 from

https://medicalxpress.com/news/2021-09-sexual-assault-jeopardize-woman-brain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.