


# Colorectal cancer diagnoses dropped more than 40% during COVID-19 pandemic

October 4 2021

---



Cancer—Histopathologic image of colonic carcinoid. Credit: Wikipedia/CC BY-SA 3.0

The number of colorectal cancer (CRC) cases diagnosed fell dramatically by 40 percent in a year during the COVID-19 pandemic, new research presented today at UEG Week Virtual 2021 has shown.

The research, which was conducted across multiple hospitals in Spain, compared data from the first year of the COVID-19 [pandemic](#) with data from the previous year. Of 1,385 cases of CRC diagnosed over the two-year period, almost two thirds (868 cases, 62.7 percent) were diagnosed in the pre-pandemic year from 24,860 colonoscopies. By contrast, only 517 cases (37.3 percent) were diagnosed during the pandemic, which also saw a 27 percent drop in the number of colonoscopies performed, to 17,337.

Those who were diagnosed with CRC between 15 March 2020 and 28 February 2021 were also older than in the pre-pandemic year, had more frequent symptoms, a greater number of complications and presented at a more advanced disease stage.

Experts say the fall is a consequence of the suspension of screening programs and the postponement of non-urgent colonoscopy investigations during the pandemic. Fewer cancers were identified by CRC screening in the pandemic period, with just 22 (4.3 percent) cases found in comparison to 182 (21 percent) in the pre-pandemic year. During the pandemic, more patients were diagnosed through symptoms (81.2 percent of diagnoses) compared with the pre-pandemic year (69 percent).

Dr. María José Domper Arnal, from the Service of Digestive Diseases, University Clinic Hospital and the Aragón Health Research Institute (IIS Aragón) in Zaragoza, Spain, and lead author of the study, commented "These are very worrying findings indeed—cases of colorectal cancer undoubtedly went undiagnosed during the pandemic. Not only were there fewer diagnoses, but those diagnosed tended to be at a later stage and suffering from more serious symptoms."

There was a significant increase in the number of patients being diagnosed with serious complications—a sign of late-stage disease—with

an increase in symptoms such as bowel perforation, abscesses, bowel obstruction and bleeding requiring hospital admission. These cases made up 10.6 percent pre-pandemic and 14.7 percent during the pandemic. The number of stage IV cancers being diagnosed rose during the pandemic year, with stage IV cases making up 19.9 percent of cases, in comparison to 15.9 percent in the previous year.

"Although these figures are across a population of 1.3 million in Spain, it's highly likely that the same drop in diagnoses would have happened elsewhere across the globe where screening was stopped and surgeries postponed, especially in countries that were heavily impacted by COVID-19," explained Dr. María José Domper Arnal.

"Colorectal cancer is often curable if it's caught at an early stage. Our concern is that we're losing the opportunity to diagnose patients at this early stage, and this will have a knock-on effect on patient outcomes and survival. We are likely to see this fall out for years to come."

CRC (or bowel cancer) is Europe's second largest cancer killer and the most common digestive [cancer](#). Annually, there are 375,000 newly diagnosed cases in the EU, and it claims the lives of over 170,000 people. Since the rollout of screening programs, which now cover over 110 million EU citizens, Europe has observed a steady decline in CRC mortality rates. A recent global study published in *The Lancet Gastroenterology and Hepatology* demonstrated a correlation between the introduction of screening programs and a reduction in CRC mortality rates, supporting the benefits of effective screening interventions.

**More information:** Impact of the COVID-19 pandemic in the diagnosis and characteristics of colorectal cancer patients, presented at UEG Week Virtual 2021

Provided by United European Gastroenterology

Citation: Colorectal cancer diagnoses dropped more than 40% during COVID-19 pandemic (2021, October 4) retrieved 3 May 2024 from

<https://medicalxpress.com/news/2021-10-colorectal-cancer-covid-pandemic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.