

Heart defibs in schools are saving staff lives

October 15 2021



(HealthDay)—Adult staff in schools are more likely than students to suffer sudden cardiac arrest, but automated external defibrillators (AEDs) are often used and improve the chances of survival, a new study

finds.

AEDs are portable devices that deliver an [electric shock](#) to try and restart the heart. If appropriate action isn't taken immediately, cardiac arrest is often fatal.

"Most research on sudden cardiac arrest in [school](#)-aged populations focuses on high schools and [student athletes](#), leaving out the majority of students and adults in schools," said lead study author Milla Arabadjian. She is a postdoctoral research associate at New York University College of Nursing, in New York City.

To get a more complete picture, the researchers surveyed almost 900 school nurses in New York State. More than 8% said there had been sudden cardiac arrests in their schools, and 58% of them occurred in adults. Most of the sudden cardiac arrests happened in middle schools.

AEDs were used in 84% of cardiac arrest events and the majority of patients survived, the findings showed. School size and the number of AEDs in the school did not affect the chances of survival, according to the study. The results were recently published online in the journal [Frontiers in Pediatrics](#).

New York is one of 18 states that require AEDs in public schools. The researchers also found that AEDs were widely available in private schools in the state, even though it's not required by law.

"Given that sudden cardiac events occurred across all educational levels and among more adults than students, [emergency preparedness](#) and policies on AEDs should focus on schools at all levels, and not just high schools and those with athletics," Arabadjian said in a university news release.

"While this study examined AED availability and utilization in New York schools, similar research is needed in other states, including those that do not have legal requirements regarding AEDs in schools," she added.

Sudden cardiac [arrest](#) occurs when the heart abruptly stops functioning. It's usually due to a problem with the heart's electrical system. It isn't the same as a [heart attack](#), when blood flow to a part of the heart is blocked. However, a heart attack can sometimes trigger an electrical disturbance that leads to sudden [cardiac arrest](#).

AEDs have been shown to save lives, so professional health organizations recommend making them available in a range of locations.

More information: The American Heart Association has more on [sudden cardiac arrest](#).

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Heart defibs in schools are saving staff lives (2021, October 15) retrieved 14 May 2024 from <https://medicalxpress.com/news/2021-10-heart-defibs-schools-staff.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--