


Study shows that memories pass through many transformation stages as they are encoded

October 25 2021, by Ingrid Fadelli



Experimental protocol, behavioral performance, and analysis strategy. (A) Experimental paradigm. Associations between words and pictures were first encoded and maintained in a short-term memory task (DMS task; left). After each run, participants performed a long-term memory cued-recall task (right). (B) Accuracy during short-term memory (STM) and long-term memory (LTM) retrieval. (C) Localization of channels across participants. Channels were widely distributed across brain regions, including the lateral temporal lobe, the medial temporal lobe, the frontal lobe, and the parietal lobe. Credit: Liu et al.

Memory, the human ability to recall things that happened in the past, is one of the topics most widely investigated by neuroscientists and psychologists. Past studies have collected extensive evidence suggesting that memory is a dynamic process, rather than a static one. In other words, instead of merely entailing the storage of events or information in the brain and their subsequent recall, memories appear to be shaped by a series of complex processes, including imagination and emotion.

In recent years, some neuroscientists have been closely examining what happens in the brain while memories are being encoded and retrieved, to better understand their [neural underpinnings](#). They found that the neural representation patterns observed while the same memories are being encoded and retrieved are in some ways similar (i.e., there is an overlap between them), yet from the moment they are stored to when they are recalled at a later point in time, their neural representations can undergo significant transformations.

Researchers at Beijing Normal University and other institutes in China have recently carried out a study aimed at further investigating these findings, to shed further light on the neural mechanisms underpinning the transformation of the neural representations of memories over time and their effects on [memory](#) formation. Their findings, presented in a paper published in *Science Advances*, suggest that memory representations undergo several transformations while they are being encoded and consolidated in the brain.

In their experiments, the team used a technique known as intracranial electroencephalography (EEG), which enables the collection of images of the brain with a high spatiotemporal resolution. Using EEG, they asked sixteen patients with epilepsy who had been implanted EEG electrodes in the brain for clinical purposes to complete a short-term and

long-term memory task, where they were shown image and word associations and then asked to recall them after different amounts of time.

Subsequently, the researchers analyzed the recordings they collected while participants completed the memory tasks using deep learning techniques. This allowed them to examine the impact of neural representation transformations on the encoding and formation of memories long-term.

"Combining intracranial EEG recordings with deep neural network models, we provide a detailed picture of the representational transformations from encoding to short-term memory maintenance and long-term memory retrieval that underlie successful episodic memory," the researchers wrote in their paper.

Jing Liu and her colleagues also compared the neural representations associated with specific experimental items (i.e., images) during the memory encoding, short-term memory maintenance and long-term memory retrieval stages. They specifically examined the unique characteristics of these representations and how they changed over time, to try to gain a better idea of the role of memory transformations across different memory stages.

"We observed substantial representational transformations during encoding," the researchers explained in their paper. "Critically, more pronounced semantic representational formats predicted better subsequent long-term memory and this effect was mediated by more consistent item-specific representations across encoding events."

The researchers observed that the neural representations of the items that participants were asked to remember started changing right after these items were presented. In addition, they found that the neural

representations of these items during the retrieval stage of the long-term memory task were more similar to those collected during the retrieval stage of the short-term memory task, than to those collected during the memory encoding stage.

"Our results suggest that memory representations pass through multiple stages of transformations to achieve successful long-term memory formation and recall," the researchers wrote in their paper.

Overall, the findings offer further evidence of the transformation of memory-specific neural representations throughout the encoding, short-term maintenance and long-term consolidation stages of memory. In the future, their work could inform further studies examining the transformation of these [neural representations](#), while also enhancing the present understanding of memory processes.

More information: Jing Liu et al, Transformative neural representations support long-term episodic memory, *Science Advances* (2021). [DOI: 10.1126/sciadv.abg9715](https://doi.org/10.1126/sciadv.abg9715)

© 2021 Science X Network

Citation: Study shows that memories pass through many transformation stages as they are encoded (2021, October 25) retrieved 25 April 2024 from <https://medicalxpress.com/news/2021-10-memories-stages-encoded.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--