

A map of mouse brain metabolism in aging

October 15 2021



Screenshot of data from the atlas of mouse brain metabolomics shows distribution of adenosine in brain regions with age. This resource will help other scientists interpret results and develop new studies. Credit: UC Davis

The first atlas of metabolites in the mouse brain has been published by a team led by UC Davis researchers. The dataset includes 1,547 different molecules across 10 brain regions in male and female laboratory mice from adolescence through adulthood and into advanced old age. The work is published Oct. 15 in the *Nature Communications*. The complete dataset is publicly available at mouse.atlas.metabolomics.us/.



"This is the largest metabolome analysis available on the brain, worldwide. It covers 1,547 identified metabolites, enabling analysis of many chemical conversions for energy, neurotransmitters or <u>complex</u> <u>lipids</u> in the brain," said Professor Oliver Fiehn, director of the West Coast Metabolomics Center at the UC Davis Genome Center and senior author on the paper.

Metabolomics is the study of the chemical fingerprints of metabolism in living cells. It uses advanced high-throughput techniques to separate and identify all the different chemicals, or metabolites, present at a given time in a cell, tissue or organ. Alongside genomics, transcriptomics and proteomics, these techniques allow scientists to better understand what is happening inside cells and tissues.

Postdoctoral scholar Jun Ding, Fiehn and colleagues sampled mice at ages 3 weeks (adolescent), 16 weeks (early adult), 59 weeks (middle age) and 92 weeks (old age). They looked at ten separate brain regions with different functions. The new atlas can be used to better understand these different functions, Fiehn said.

The results show that the brain metabolome clearly is clearly distinct between large brain regions such as the brainstem, which controls vital functions such as breathing and blood pressure, from the cerebrum, which controls movements, speech and thinking, Fiehn said. In addition, specific sections showed high concentrations of metabolites associated with particular receptors, such as adenosine, ceramides and phospholipid ethers.

They did not find any significant metabolic differences between the brains male and female mice.

Metabolome of the aging brain



When the team compared animals of different ages, they found that overall, adult mice showed the greatest metabolic difference between brain sections. The differences between regions were less in adolescence and much less at very old ages.

"At very old age, energy functions appear to be less efficient, and the <u>myelin sheaths</u> that surround the axons, or wiring, of the brain change composition," Fiehn said.

Lipid molecules especially showed large differences in aging and across <u>brain regions</u>. These lipids deserve specific investigation to see how they relate to changes in brain function, for example in signaling.

At very old age, the response system against oxidative stress becomes very active, while proteins start breaking down into peptides at an increased rate, he said. These changes are reflected in the metabolome.

The work was conducted in collaboration with the UC Davis Mouse Biology Program, led by Professor Kent Lloyd.

"This landmark paper clearly demonstrates the power of the laboratory mouse as a model to accelerate our understanding of <u>brain</u> metabolism, including and especially in humans," Lloyd said.

More information: Jun Ding et al, A metabolome atlas of the aging mouse brain, *Nature Communications* (2021). <u>DOI:</u> <u>10.1038/s41467-021-26310-y</u>

Provided by UC Davis

Citation: A map of mouse brain metabolism in aging (2021, October 15) retrieved 7 May 2024



from https://medicalxpress.com/news/2021-10-mouse-brain-metabolism-aging.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.