


COPD risks and prevention

November 9 2021, by Laurel Kelly



Credit: CC0 Public Domain

November is National COPD Awareness Month, which makes this a good time to learn more about the risk factors for chronic obstructive pulmonary disease (COPD) and what you can do to keep yourself safe.

COPD is the third leading cause of death by disease in the U.S., with

more than 16.4 million people living with the disease, according to the American Lung Association.

This chronic inflammatory lung disease is caused by long-term exposure to irritating gases or particulate matter, most often from [cigarette smoke](#). People with COPD are at increased risk of developing [heart disease](#), lung cancer, pulmonary hypertension and depression. Also, if you have a [chronic lung disease](#) such as COPD, you may be at greater risk of severe illness and complications from COVID-19.

COPD symptoms often don't appear until significant lung damage has occurred, and they usually worsen over time, particularly if cigarette smoke exposure continues. Signs and symptoms of COPD can include shortness of breath, wheezing, chest tightness, frequent respiratory infections and unintended weight loss.

Factors that can increase your risk of COPD include:

Exposure to tobacco smoke

The most significant risk factor for COPD is long-term cigarette smoking. The more years you smoke and the more packs you smoke, the greater your risk. Pipe smokers, cigar smokers and marijuana smokers also may be at risk, as well as people exposed to large amounts of secondhand smoke.

Asthma

Asthma, a chronic inflammatory airway disease, may be a risk factor for developing COPD. The combination of asthma and smoking increases the risk of COPD even more.

Occupational exposure to dusts and chemicals

Long-term exposure to chemical fumes, vapors and dusts in the workplace can irritate and inflame your lungs.

Exposure to fumes from burning fuel

People exposed to fumes from burning fuel for cooking and heating in poorly ventilated homes are at higher risk of developing COPD.

Genetics

The uncommon genetic disorder alpha-1-antitrypsin deficiency causes some cases of COPD. Other [genetic factors](#) likely make certain smokers more susceptible to the disease.

Unlike some diseases, COPD typically has a clear cause and a clear path of prevention, and there are ways to slow the progression of the disease. The best way to prevent COPD is to never smoke or to stop smoking now.

If you're a longtime smoker, you may have tried quitting many times and realize how hard it can be to quit smoking. But keep trying to quit. It's critical to find a tobacco cessation program that can help you quit for good. It's your best chance for reducing damage to your lungs.

©2021 Mayo Clinic News Network.
Distributed by Tribune Content Agency, LLC.

Citation: COPD risks and prevention (2021, November 9) retrieved 1 April 2023 from <https://medicalxpress.com/news/2021-11-copd.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--