

# How inequality drives HIV in adolescent girls and young women

November 29 2021, by Hilton Humphries

---



Credit: Pixabay/CC0 Public Domain

Despite the advances that have been made against HIV, the world has 37

million people living with HIV. And 680,000 people died from AIDS-related causes in [2020](#). While the prevention of mother to child transmission, and provision of treatment as prevention, are [great successes](#), there are still [gaps](#). Over 1.5 million new HIV infections were recorded in [2020](#).

In 2020, [adolescent](#) girls and young women aged 15 to 24 accounted for [25%](#) of new infections, while making up only 10% of the population. Six in seven [new HIV infections](#) among adolescents (aged 15 to 19) were among girls, even though boys live in similar contexts. Young women aged 15–24 years old were [twice](#) as likely to be living with HIV compared with men.

In addition to the difference in [risk](#) between the sexes, other risk and protective factors may have an influence. So, within the population of adolescent girls and young women, differences in their unique risk profiles mean that some may be at a higher risk of HIV infection than others.

Understanding risk profiles helps us realize that HIV is more than just a virus. These profiles highlight how HIV risk and HIV prevention uptake are influenced by biological, socio-behavioral and structural factors. So while new HIV prevention options may become available, adolescent girls and young women will weigh up the benefits of using them. They consider factors such as partner trust, the social value of relationships, their perceived risk and the economic and social consequences that occur as a result of using them. All this happens in the context of the structural inequalities that sustain risk—things that individuals can't always control.

Risk profiles—the unique combination of factors that work to mediate HIV risk—should inform responses to the evolving pandemic. More nuanced and locally responsive approaches are required.

## Risk factors

As the world aims for the [90-90-90 goals](#), it's useful to see who is falling behind. Global [data](#) suggests that in 2020, 84% of people living with HIV know their HIV status, 73% of those are accessing HIV treatment and 66% of those on treatment are virally suppressed.

Hidden in these successes are those who have still not been reached by HIV prevention and treatment efforts, who are put at risk by inequality, exclusion and social and economic vulnerability. What is the profile of those who have still not been reached? What factors within those profiles prevent us from reaching them? And how do we tailor interventions that respond to local contexts of risk? A large number of studies and programs have already provided some of these answers.

**Power in relationships:** Adolescent girls and young women who are sexually active are at the highest risk of HIV infection. Delaying [sexual debut](#) is a key goal of HIV prevention. But sexual relationships often start in adolescence. The [HIV transmission cycle](#) highlights that adolescent girls and young women in age-disparate [sexual relationships](#), (i.e "sugar daddies") are at higher risk than those in peer relationships. Age-disparate relationships often have social, emotional, economic and sexual value that may outweigh potential risks. But they are usually characterized by power dynamics that make discussions about sexual health difficult. In contexts of high female poverty and partner dependency, the power and gender inequalities of these relationships will [increase the risk of HIV](#) infection and may limit the ability of adolescent girls and young women to negotiate [safe sex practices](#).

**Gender-based violence:** Adolescent girls and young women who are victims of gender-based violence will have risk profiles that make them more vulnerable to HIV infection. In contexts where female poverty is high and retaining relationships is critical for survival, agency to make



sexual health decisions may be difficult. In [South Africa](#), home to the largest HIV pandemic, over 10,000 people were raped between April and June 2021. Many of these incidents took place at the home of the victim or the home of the rapist. In the same period, over 15,000 domestic violence assault cases were reported. These high rates of gender-based violence highlight that access to HIV prevention services are necessary but not sufficient to protect women from HIV infection.

To fight economic inequality, female dependency on relationships and gender-based violence, female education is critical. Additionally, changing gender norms in young boys and ensuring more equitable gender beliefs as men grow older will create an environment in which female agency is non-negotiable and respected.

## **Services and interventions**

Use of HIV prevention services is influenced by inequalities in access and by social and gender norms. Access does not equate to uptake. A lack of knowledge about [sexual health](#), inequitable gender norms around sex, and conservative social norms about adolescent sexual well-being contribute to poor uptake of sexual and reproductive health services among adolescent girls and young women.

Engaging their sexual partners, challenging social and gender norms, providing comprehensive sexual education, and creating sex-positive and egalitarian health services for adolescents are essential for fighting the HIV pandemic in young people.

Without understanding the social context in which adolescent girls and young women manage and negotiate sex, and tailoring interventions to break the transmission cycle, it will be a struggle to achieve epidemic control in adolescent [girls](#) and young [women](#).

In sub-Saharan Africa, a more nuanced view of the risks faced by [adolescent girls](#) and [young women](#) will be essential for developing targeted and relevant interventions. These efforts will also help reduce inequalities and build societies more resilient to future pandemics.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: How inequality drives HIV in adolescent girls and young women (2021, November 29) retrieved 7 May 2024 from

<https://medicalxpress.com/news/2021-11-inequality-hiv-adolescent-girls-young.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--