

During summer, hazardous mold species more abundant in rooms with windows



November 29 2021, by Mike Addelman

Presence of fungal spores in outdoor air. (A) CFUs of A. fumigatus, Penicillium, A. niger, and Geotrichium in outdoor air samples measured over a 14-month period. (B) Spearman's rank correlation of CFUs from fungi in outdoor air samples to meteorological parameters collected on the day of sampling or the day before sampling. Statistically significant (P



Levels of a fungus hazardous to patients with respiratory disease are more abundant in rooms with outside facing windows during the summer months, University of Manchester and Manchester University NHS Foundation Trust (MFT) researchers have found.

The team—investigating the levels of Aspergillus fumigatus at Manchester Adult Cystic Fibrosis Center (MACFC), at Wythenshawe Hospital, part of MFT—found a direct correlation between indoor and outdoor levels of the <u>fungus</u> between November 2014 and January 2016.

Increased temperatures and lower wind speeds, more common in the summer, appeared to drive increases in fungus levels.

The findings, published in *Frontiers in Cellular and Infection Microbiology* underline the need for safe ventilation in rooms with people who have chronic respiratory conditions such as cystic fibrosis, asthma, chronic obstructive pulmonary disease (COPD) and COVID-19. The study was part-funded by the Wellcome Trust.

MACFC rooms with external windows had elevated fungal counts compared to rooms not directly connected to the outdoors, they found.

Also at the MACFC, with the exception of four samples, no fungus spores were detected in the rooms with positive pressure ventilation.

The team used meteorological data from a Met Office weather station about four miles from the MACFC.

They performed environmental air sampling over 14 months to assess fungal growth inside and outside the center.

Professor Andrew Jones, Consultant Physician and Director of the Manchester Adult Cystic Fibrosis Center said: "This study demonstrates that Aspergillus spores in the air are more abundant during the <u>summer months</u>.

"Indoor counts were directly correlated to outdoor counts and were elevated in rooms that directly connected to the outdoors, via a window.



"The fungus, found in most homes and buildings, is not normally dangerous for people who are well. However, the findings could have implications for patients who are vulnerable to Aspergillus infection."

Professor Malcolm Richardson, Professor of Medical Mycology at the University of Manchester and consultant clinical scientist in mycology at the Manchester University NHS Foundation Trust Mycology Reference Center, based at Wythenshawe Hospital, said: "In most cases, room ventilation is an important way to circulate air and remove unwanted microorganisms—and for many, an open window is a good way to achieve this.

"However, for vulnerable patients, ventilation with systems which use filters and laminar air flow may be a useful way to keep the air free of fungi.

"We must stress that further studies are required to find causative proof of climate and weather affecting fungus levels.

"Also, more work needs to be done to determine the clinical implications of these findings for <u>cystic fibrosis</u> patients who are predisposed to Aspergillus related diseases."

More information: Norman van Rhijn et al, Meteorological Factors Influence the Presence of Fungi in the Air; A 14-Month Surveillance Study at an Adult Cystic Fibrosis Center, *Frontiers in Cellular and Infection Microbiology* (2021). DOI: 10.3389/fcimb.2021.759944

Provided by University of Manchester

Citation: During summer, hazardous mold species more abundant in rooms with windows (2021, November 29) retrieved 18 July 2024 from <u>https://medicalxpress.com/news/2021-11-summer-hazardous-mold-species-abundant.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.