


Review: Acupuncture bests sham acupuncture for migraine

December 6 2021



(HealthDay)—Acupuncture seems better than sham acupuncture for

reducing the frequency of migraine attacks, intensity, and responder rate, according to a review and meta-analysis published online Nov. 26 in *The Neurologist*.

Mao Li, M.D., from the University of Traditional Chinese Medicine in Chengdu, China, and colleagues conducted a systematic literature [review](#) for randomized controlled trials to compare the efficacy of [acupuncture](#) versus [sham acupuncture](#) for migraine treatment. Data were included from 20 randomized trials involving 2,725 patients.

The researchers found that acupuncture was superior to sham acupuncture for reducing migraine frequency after treatment (mean difference, -0.52) and follow-up (mean difference, -0.51) using pooled data. For reducing visual analog scale scores, acupuncture was also superior to sham acupuncture after treatment and on follow-up (mean differences, -0.72 and -0.82 , respectively). The efficacy of acupuncture was better than sham acupuncture for responder rate (relative risk, 1.28). However, there was no significant difference noted in the reduction of migraine days in the acupuncture or sham acupuncture groups after treatment or on follow-up.

"Although these findings indicate that acupuncture treatment was superior to sham acupuncture, the interstudy heterogeneity was too great to draw a definitive conclusion," the authors write. "In this meta-[analysis](#), we found evidence to support that the use of acupuncture may be of greater benefit to migraine patients than sham acupuncture."

More information: [Abstract/Full Text](#)

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Review: Acupuncture bests sham acupuncture for migraine (2021, December 6)
retrieved 29 June 2024 from <https://medicalxpress.com/news/2021-12-acupuncture-bests-sham-migraine.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.