


EXPLAINER: What COVID-19 therapies are available in US?

December 24 2021, by Matthew Perrone



This image provided by Pfizer in October 2021 shows the company's COVID-19 Paxlovid pills. U.S. health regulators on Wednesday, Dec. 22, 2021 authorized the first pill against COVID-19, a Pfizer drug that Americans will be able to take at home to head off the worst effects of the virus. Credit: Pfizer via AP

The U.S. recently added two new weapons to its small arsenal against the

coronavirus: pills that patients can take at home to treat COVID-19.

The drugs from Pfizer and Merck join a handful of other therapies that have been shown to blunt the worst effects of the virus. But each treatment has different advantages and tends to work best for certain types of patients at different stages of the disease.

Here's a look at the current COVID-19 drugs and how they are used:

PILLS

The prescription pills are the first COVID-19 therapies that don't require infusions or injections delivered by [health professionals](#).

The Food and Drug Administration authorized [Pfizer's Paxlovid](#) on Wednesday and [Merck's molnupiravir](#) on Thursday.

Merck's drug is for adults with a positive COVID-19 test, early symptoms and who face the highest risks of hospitalization. Pfizer's is for anyone 12 and older who likewise face the highest risks of hospitalization.

Pfizer's drug is likely to become the first-choice treatment against the virus, because of its superior benefits and milder side effects.

Molnupiravir carries a warning against use during pregnancy and the potential to cause birth defects. The FDA also said molnupiravir should be considered only when other treatments are unavailable or otherwise inappropriate for a patient.

Both treatments should be started soon after symptoms develop, which means patients must get tested and diagnosed quickly.

Experts predict antiviral pills eventually could be used in combination to

combat COVID-19, similar to HIV drugs.

ANTIBODY DRUGS

For more than a year, antibody drugs have been the first-choice [treatment](#) for patients with early COVID-19 symptoms who don't yet require hospitalization.

Three such drugs are authorized as treatments in the U.S. and they've been shown to reduce the risk of hospitalization and death by 70% or more when given within 10 days of symptoms. They are mainly used for high-risk adults with early COVID-19 symptoms, but they are also occasionally used to try to block infection in people who are highly vulnerable to the virus.

But the omicron variant [is dampening](#) enthusiasm for them. Drugmakers Regeneron and Eli Lilly recently warned that laboratory testing suggests their antibody therapies will be much less potent against omicron, which contains dozens of mutations that make it harder for the treatments to attack the virus.

The third option, from British drugmaker GlaxoSmithKline, appears to be the best positioned to fight omicron, but it's not widely available in the U.S.

The drugs have several limitations: They have to be infused or injected by a health worker and they are expensive and complicated to manufacture.

HOSPITAL TREATMENTS

Remdesivir, an antiviral infusion, remains the only drug for hospitalized patients that specifically targets the coronavirus.

It is used for patients who need extra oxygen but don't require breathing machines. In those cases it's been shown to cut recovery times by several days. But the [drug](#) has fallen out of favor with many doctors because it hasn't been shown to improve survival. And the World Health Organization doesn't recommend it, given its cost and the lack of clear benefit.

Steroids drugs—a staple of emergency care—have been shown to boost survival in hospitalized COVID-19 patients by blunting inflammation and other immune-system reactions, which drive the worst effects of the disease in later stages.

U.S. regulators also authorized giving newly infected people transfusions of blood plasma from people who have recovered from COVID-19. But there's little evidence it significantly reduces illness and death.

A U.S. panel of experts [concluded](#) the evidence is insufficient for many people and that it's not recommended for hospitalized patients without impaired immunity. And the WHO recently recommended against its continued use.

© 2021 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: EXPLAINER: What COVID-19 therapies are available in US? (2021, December 24) retrieved 6 May 2024 from <https://medicalxpress.com/news/2021-12-covid-therapies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.