

Febrile seizures: How to protect your child

December 13 2021



Credit: CC0 Public Domain

(HealthDay)—Fever-related seizures in young children can be alarming for parents, but they're usually not life-threatening, an expert says.

During a so-called febrile [seizure](#), a child may lose consciousness, experience body stiffness and have full-body shaking. The

seizures—which typically last a minute or two, but can go on longer—rarely require medication, and the majority don't require hospitalization, according to Dr. Kiarash Sadrieh. He is a pediatric neurologist at Children's Hospital, Los Angeles.

Sadrieh said that with any type of seizure in a child, parents or other caregivers need to remain calm and do four things:

- Place the child on their side to prevent choking. There is no need to restrain the child or try to stop the shaking. The seizure will run its course on its own.
- Never put anything in the child's mouth. This can lead to chipped teeth, damaged gums or even a blocked airway.
- Time the seizure. If it lasts more than five minutes, call 911. Medication may be needed to end the seizure.
- Have your child evaluated the same day. While brief seizures don't require [emergency services](#), the evaluation is mainly to check for the cause of your [child's](#) fever.

Febrile seizures are the most common type of childhood seizure, affecting between 2% and 5% of [children](#). The majority occur between 12 to 18 months of age. Exactly why a fever can cause a seizure is unclear, but Sadrieh said genetics play a role.

Treatment usually involves the use of fever-lowering drugs such as acetaminophen or ibuprofen, he noted.

The overall risk of recurrence varies with age. It's about 50% in children under 1 year of age, and about 20% in older children.

There are two types of [febrile seizures](#), Sadrieh explained. Simple seizures, which are more common, involve full-body shaking and last less than 15 minutes. They do not affect future school performance or

intelligence.

Complex seizures affect only a part of the body, last more than 15 minutes or recur within 24 hours and have a slightly higher rate of future complications, Sadrieh said in a hospital news release.

More information: Learn more about febrile seizures at the [U.S. National Institute of Neurological Disorders and Stroke](#).

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Febrile seizures: How to protect your child (2021, December 13) retrieved 24 April 2024 from <https://medicalxpress.com/news/2021-12-febrile-seizures-child.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.