

Radiofrequency ablation of the endometrial tissue reduces excessive menstrual bleeding

December 22 2021



Credit: Pixabay/CC0 Public Domain

Benign tissue formations in the muscle tissue of the uterine wall (fibroids), polyps or endometriosis may cause excessively heavy and prolonged menstrual bleeding (menorrhagia). However, the reason for

these frequent menstrual symptoms is often unknown.

In [radiofrequency ablation](#) with a mesh electrode, the endometrial tissue (endometrium) of patients with menorrhagia is ablated by high-frequency current in order to reduce excessive menstrual bleeding. In a benefit assessment, the Institute for Quality and Efficiency in Health Care (IQWiG) has now examined the advantages and disadvantages of such a treatment compared with other procedures commonly used in Germany to ablate the endometrium—loop resection and balloon ablation.

The result: radiofrequency ablation can relieve some burdensome menstrual symptoms more effectively than control interventions.

Aim is to relieve symptoms

Medications do not always lead to sufficient relief of menorrhagia symptoms or reasons exist against the use of the medications available (such as intolerance or refusal). In such situations, women with menorrhagia who do not wish to have children may consider a surgical intervention: either the entire uterus is removed or only the endometrium is ablated.

Loop resection is considered a first-generation ablation procedure, which is often combined with rollerball ablation and usually controlled via an endoscope. In this procedure, the endometrium is removed with surgical instruments. Radiofrequency ablation with a mesh electrode and ablation with a hot water balloon (balloon ablation) are considered second-generation procedures and are usually performed without endoscopic control. In balloon ablation, the endometrium is cauterized by means of a latex or silicone balloon filled with hot water.

Advantages of radiofrequency ablation versus loop resection

IQWiG identified two studies comparing radiofrequency ablation with loop resection combined with rollerball ablation.

The data from these two studies provide both a hint of greater benefit in terms of elimination of menstrual pain and less harm (e.g. complications related to the intervention) from radiofrequency ablation versus loop section combined with rollerball ablation. No hint of greater benefit or harm was found for the outcomes of bleeding intensity, premenstrual syndrome (defined as complex physical and emotional symptoms related to the menstrual cycle), activities of daily living, or need for renewed surgery. Both procedures reduced the intensity of menstrual bleeding similarly well.

In the overall weighing of benefits and harms, IQWiG's researchers conclude that there is a hint of greater benefit of radiofrequency ablation versus loop resection combined with rollerball ablation.

Advantages of radiofrequency ablation versus balloon ablation

Four studies provide data for the comparison of radiofrequency ablation versus balloon ablation. In these studies, the data provide proof of greater benefit of radiofrequency ablation with regard to bleeding severity and a hint of greater benefit with regard to premenstrual syndrome. No greater benefit or harm was shown with regard to other outcomes such as menstrual pain, depressive symptoms, postoperative pain, renewed surgery, adverse events, or health-related quality of life.

No usable data on activities of daily living were available, so that no hint

of greater benefit or harm was shown here either.

In summary, across all outcomes IQWiG concludes an indication of greater benefit of [radiofrequency ablation](#) versus [balloon](#) ablation.

More information: Project overview:
www.iqwig.de/en/projects/n20-06.html

Provided by Institute for Quality and Efficiency in Health Care

Citation: Radiofrequency ablation of the endometrial tissue reduces excessive menstrual bleeding (2021, December 22) retrieved 4 May 2024 from
<https://medicalxpress.com/news/2021-12-radiofrequency-ablation-endometrial-tissue-excessive.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--