

Serum biomarkers can differentiate psoriatic arthritis, rheumatoid arthritis

December 22 2021



(HealthDay)—A serum protein biomarker panel can differentiate

patients with early inflammatory arthritis with psoriatic arthritis (PsA) from those with rheumatoid arthritis (RA), according to a study recently published in *Arthritis & Rheumatology*.

Angela McArdle, Ph.D., from University College Dublin in Ireland, and colleagues interrogated the serum proteome of patients with PsA and patients with RA using nano-liquid chromatography mass spectrometry (nano-LC-MS/MS), an aptamer-based assay (SomaScan) targeting 1,129 proteins, and a multiplexed antibody assay (Luminex) for 48 proteins (64, 36, and 64 patients, respectively). The performance of putative markers was evaluated using multiple reaction monitoring (MRM) assays developed using the discovery cohort (60 patients) and an independent cohort of 167 PsA and RA patients.

The researchers found that PsA patients could be differentiated from RA patients using multivariate machine learning analysis of the [protein](#) discovery data from the three platforms, with an area under the curve (AUC) of 0.94, 0.69, and 0.73 for nano-LC-MS/MS, bead-based immunoassay measurements, and aptamer-based analysis, respectively. A subset of proteins measured by MRM could differentiate PsA from RA with AUCs of 0.79 and 0.8, in the separate verification and evaluation studies, respectively.

"It is increasingly evident that making an accurate diagnosis is important in order to determine which therapeutic strategy to adopt to optimize clinical and radiographic outcomes," the authors write. "We believe that with further development it will be possible to establish a [diagnostic test](#) for PsA that will reduce diagnostic delay, inform treatment selection, and improve both short-term and long-term outcomes."

One author disclosed financial ties to Atturo.

More information: [Abstract/Full Text \(subscription or payment may](#)

[be required\)](#)

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Serum biomarkers can differentiate psoriatic arthritis, rheumatoid arthritis (2021, December 22) retrieved 5 May 2024 from <https://medicalxpress.com/news/2021-12-serum-biomarkers-differentiate-psoriatic-arthritis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.