


Study: Stronger evidence linking virus to multiple sclerosis

January 16 2022, by Luran Neergaard



This image provided by U.S. Department of Health and Human Services shows an illustration of the outer coating of the Epstein-Barr virus, one of the world's most common viruses. New research is showing stronger evidence that Epstein-Barr infection could set some people on the path to later developing multiple sclerosis. Credit: U.S. Department of Health and Human Services via AP

There's more evidence that one of the world's most common viruses may set some people on the path to developing multiple sclerosis.

Multiple sclerosis is a potentially disabling disease that occurs when immune system cells mistakenly attack the protective coating on nerve fibers, gradually eroding them.

The Epstein-Barr virus has long been suspected of playing a role in development of MS. It's a connection that's hard to prove because just about everybody gets infected with Epstein-Barr, usually as kids or [young adults](#)—but only a tiny fraction develop MS.

Thursday, Harvard researchers reported one of the largest studies yet to back the Epstein-Barr theory.

They tracked [blood samples](#) stored from more than 10 million people in the U.S. military and found the risk of MS increased 32-fold following Epstein-Barr infection.

The military regularly administers blood tests to its members and the researchers checked samples stored from 1993 to 2013, hunting antibodies signaling viral infection.

Just 5.3% of recruits showed no sign of Epstein-Barr when they joined the military. The researchers compared 801 MS cases subsequently

diagnosed over the 20-year period with 1,566 service members who never got MS.

Only one of the MS patients had no evidence of the Epstein-Barr virus prior to diagnosis. And despite intensive searching, the researchers found no evidence that other [viral infections](#) played a role.

The findings "strongly suggest" that Epstein-Barr infection is "a cause and not a consequence of MS," study author Dr. Alberto Ascherio of the Harvard T.H. Chan School of Public Health and colleagues reported in the journal *Science*.

It's clearly not the only factor, considering that about 90% of adults have antibodies showing they've had Epstein-Barr—while nearly 1 million people in the U.S. are living with MS, according to the National Multiple Sclerosis Society.

The virus appears to be "the initial trigger," Drs. William H. Robinson and Lawrence Steinman of Stanford University wrote in an editorial accompanying Thursday's study. But they cautioned, "additional fuses must be ignited," such as genes that may make people more vulnerable.

Epstein-Barr is best known for causing "mono," or infectious mononucleosis, in teens and young adults but often occurs with no symptoms. A [virus](#) that remains inactive in the body after initial infection, it also has been linked to later development of some autoimmune diseases and rare cancers.

It's not clear why. Among the possibilities is what's called "molecular mimicry," meaning [viral proteins](#) may look so similar to some nervous system proteins that it induces the mistaken immune attack.

Regardless, the new study is "the strongest evidence to date that Epstein-

Barr contributes to cause MS," said Mark Allegretta, vice president for research at the National Multiple Sclerosis Society.

And that, he added, "opens the door to potentially prevent MS by preventing Epstein-Barr [infection](#)."

Attempts are underway to develop Epstein-Barr vaccines including a small study just started by Moderna Inc., best known for its COVID-19 vaccine.

More information: Kjetil Bjornevik et al, Longitudinal analysis reveals high prevalence of Epstein-Barr Virus associated with multiple sclerosis. , *Science* (2022). [DOI: 10.1126/science.abj8222](https://doi.org/10.1126/science.abj8222).
www.science.org/doi/10.1126/science.abj8222

© 2022 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Study: Stronger evidence linking virus to multiple sclerosis (2022, January 16) retrieved 25 April 2024 from
<https://medicalxpress.com/news/2022-01-stronger-evidence-linking-virus-multiple.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--