

New study finds COVID-19 hotspots in Canadian urban centers

February 14 2022



Credit: Unsplash/CC0 Public Domain

A new study shows hotspots of SARS-CoV-2 infections in Canadian cities across four provinces, linked to occupation, income, housing and proxies for structural racism. The study, which looked at infections in 16

urban centres in British Columbia, Manitoba, Ontario and Quebec, is published in *CMAJ (Canadian Medical Association Journal)*.

The COVID-19 pandemic has had variable impacts across provinces and within cities, with some regions more affected than others. To better understand the factors contributing to the concentration of SARS-CoV-2 infections in [geographic areas](#), researchers analyzed provincial surveillance data from January 2020 to February 2021.

"Understanding the factors associated with geographic patterns of transmission within cities can help identify the populations and, specifically, the contexts with the greatest risks," write Yiqing Xia, McGill University, Montréal, Quebec, and Huiting Ma, Unity Health Toronto, Toronto, Ontario, with coauthors. "Geographic analyses can enable better allocation of resources, tailoring of policies and implementation of context-specific strategies to more effectively and efficiently curb local transmission."

There were 62 709 SARS-CoV-2 cases in BC, 15 089 in Manitoba, 239 160 in Ontario and 215 928 in Quebec recorded in the 16 census metropolitan areas that were included in the study. They accounted for 81%, 57%, 83% and 80% of all confirmed cases in each province, respectively. Researchers observed concentrations of cases according to social determinants of health, such as income, housing, essential work, visible minority status and more. They found that visible minority status was the social determinant of health that was important across all cities, with variations in the others.

"This study provides comprehensive and robust evidence of high geographic concentration of SARS-CoV-2 cases within Canadian cities in BC, Manitoba, Ontario and Quebec," write senior authors Dr. Mathieu Maheu-Giroux, McGill University, and Dr. Sharmistha Mishra, Unity Health Toronto, with coauthors. "These hotspots are largely defined

along social determinants related to occupation, income, housing and proxies for structural racism."

The 16 regions included:

- **British Columbia**—Vancouver, Kelowna and Abbotsford–Mission
- **Manitoba**—Winnipeg
- **Ontario**—Toronto, Ottawa, Hamilton, Kitchener–Cambridge–Waterloo, St. Catharines–Niagara and Windsor
- **Quebec**—Montréal, Québec City, Gatineau, Sherbrooke, Saguenay, Trois-Rivières

These findings are consistent with those of other studies from Canada as well as Sweden, the United States and other countries showing higher rates of SARS-CoV-2 in racialized communities or diverse neighbourhoods.

The authors call for city-specific public health supports like geographic hot-spot initiatives, such as vaccination rollouts and access to mobile and outreach testing with wrap-around support for quarantine and isolation, that are tailored to effectively reach and meet the prevention and care needs of communities at disproportionate risk of COVID-19.

"Geographically prioritized allocation of resources and services that are tailored to the local drivers of inequalities in acquisition and transmission risk offer a path forward in the public health response to SARS-CoV-2," they conclude.

More information: Yiqing Xia et al, Geographic concentration of SARS-CoV-2 cases by social determinants of health in metropolitan areas in Canada: a cross-sectional study, *Canadian Medical Association*

Journal (2022). [DOI: 10.1503/cmaj.211249](https://doi.org/10.1503/cmaj.211249)

Provided by Canadian Medical Association Journal

Citation: New study finds COVID-19 hotspots in Canadian urban centers (2022, February 14)
retrieved 3 May 2024 from

<https://medicalxpress.com/news/2022-02-covid-hotspots-canadian-urban-centers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.