


Changing your diet could add up to a decade to life expectancy, study finds

February 8 2022



Expected increase in life expectancy for optimizing different food groups from various ages. Credit: Fadnes LT et al., 2022, *PLOS Medicine*, CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

A young adult in the U.S. could add more than a decade to their life expectancy by changing their diet from a typical Western diet to an

optimized diet that includes more legumes, whole grains and nuts, and less red and processed meat, according to a new study publishing February 8th in *PLOS Medicine* by Lars Fadnes of the University of Bergen, Norway, and colleagues. For older people, the anticipated gains to life expectancy from such dietary changes would be smaller but still substantial.

Food is fundamental for health and, globally, dietary risk factors are estimated to lead to 11 million deaths and 255 million disability-adjusted life-years annually. In the new study, researchers used existing meta-analyses and data from the Global Burden of Diseases study to build a model that enables the instant estimation of the effect on [life expectancy](#) (LE) of a range of dietary changes. The model is also now available as a publicly available online tool called the Food4HealthyLife calculator (<https://food4healthylife.org/>).

For [young adults](#) in the United States, the model estimates that a sustained change from a typical Western diet to the optimal diet beginning at age 20 would increase LE by more than a decade for women (10.7 [uncertainty interval 5.9-14.1] years) and men (13.0 [6.9-17.3] years). The largest gains in years of LE would be made by eating more legumes (females: 2.2 [1.0-3.4]; males: 2.5 [1.1-3.9]), more whole grains (females: 2.0 [0.7-3.3]; males: 2.3 [0.8-3.8]), and more nuts (females: 1.7 [0.8-2.7]; males: 2.0 [1.0-3.0]), less red meat (females: 1.6 [0.7-2.5]; males: 1.9 [0.8-3.0]) and less processed meat (females: 1.6 [0.7-2.5]; males: 1.9 [0.8-3.0]). Changing from a typical diet to the optimized diet at age 60 years could still increase LE by 8.0 (4.8-11.2) years for women and 8.8 (5.2-12.5) years for men, and 80-year-olds could gain 3.4 years (females: 2.1-4.7 and males: 2.1-4.8) from such dietary changes.

"Understanding the relative health potential of different food groups could enable people to make feasible and significant health gains," the

authors say. "The Food4HealthyLife calculator could be a useful tool for clinicians, [policy makers](#), and lay-people to understand the health impact of dietary choices."

Fadnes adds, "Research until now have shown [health benefits](#) associated with separate food group or specific diet patterns but given limited information on the health impact of other diet changes. Our modeling methodology has bridged this gap."

More information: Fadnes LT, Økland J-M, Haaland ØA, Johansson KA (2022) Estimating impact of food choices on life expectancy: A modeling study. *PLoS Med* 19(2): e1003889.
doi.org/10.1371/journal.pmed.1003889

Provided by Public Library of Science

Citation: Changing your diet could add up to a decade to life expectancy, study finds (2022, February 8) retrieved 8 May 2024 from <https://medicalxpress.com/news/2022-02-diet-decade-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
