

Discovery of a novel role for an elusive brain region in maternal behaviors in mice

February 4 2022



Credit: Unsplash/CC0 Public Domain

Gestation leads to a modification of brain circuits and behaviors such as nesting within the animal kingdom. The underlying biological, neural and hormonal mechanisms have been unknown until now. In a new

study, the team led by Nicolas Renier (Inserm) at the Paris Brain Institute has discovered a novel role for hormone-sensitive neurons in the center of the brain, which are necessary for maternal nesting behavior in female mice. These results were published in the journal *Neuron*.

Nesting behaviors are often triggered before the arrival of newborns in parental species. Nest building in birds is perhaps the first example that comes to mind, but this behavior is also present in all mammals, including humans, to reorganize their habitat before the birth of a baby. The mechanisms by which gestation in mammals will modify the [brain](#) circuits and behaviors of everyday life are still elusive. Do the pregnancy hormones play a role in this form of brain plasticity?

To answer these questions, Thomas Topilko, a graduate student in Nicolas Renier's team (Inserm), and his colleagues used the mouse as a model. When pregnant, the female mouse prepares a [nest](#) to protect its young from the cold and from predators.

Using a sophisticated technique, light-sheet microscopy, to map [brain activity](#) in three dimensions and on a micrometer scale, the researchers identified an unexpected [region](#) in the center of the brain, the Edinger Westphal nucleus, as being involved in maternal preparatory nesting behavior.

This region was originally known to control eye movement. The team discovered another population of [neurons](#) there, whose activity is modified by progesterone (editor's note: one of the main hormones of pregnancy). The altered activation of these cells changes the balance of the mouse's behavior between sleep and nest building, increasing [nest building](#) time at expense of sleep.

More precisely, the researchers showed that these neurons are a rare type

of neurons, which are pure peptidergic modulators, i.e. their role is to modulate the activity of other brain regions, which would intervene in the animal's behavior. In particular, the Edinger Westphal nucleus is anatomically very close to the regions involved in motor behaviors and motivation.

The researchers are now exploring the male-female differences in these neurons, as male mice, unlike females, are not able to build preparatory nests before birth. They also want to study how these neurons integrate with the other modulatory regions of the midbrain, particularly those that enable the execution of motivated behaviors and are highly susceptible to neurodegenerative and psychiatric diseases.

More information: Edinger Westphal, Peptidergic neurons enable maternal preparatory nesting, *Neuron* (2022).

Provided by Institut du Cerveau (Paris Brain Institute)

Citation: Discovery of a novel role for an elusive brain region in maternal behaviors in mice (2022, February 4) retrieved 26 June 2024 from <https://medicalxpress.com/news/2022-02-discovery-role-elusive-brain-region.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--