

Is migraine tied to complications in pregnancy?

February 24 2022



Credit: Sasha Wolff/Wikipedia

Women with migraine may have a higher risk of pregnancy complications like preterm delivery, gestational high blood pressure and

preeclampsia, according to a preliminary study released today, February 24, 2022, that will be presented at the American Academy of Neurology's 74th Annual Meeting being held in person in Seattle, April 2 to 7, 2022 and virtually, April 24 to 26, 2022. Researchers also found that women with migraine with aura may have a somewhat higher risk of preeclampsia than women with migraine without aura. Auras are sensations that come before the headache, often visual disturbances such as flashing lights. Preeclampsia involves high blood pressure with additional symptoms, such as protein in the urine, during pregnancy, which can threaten the life of the mother and baby.

"Roughly 20% of women of childbearing age experience migraine, but the impact of migraine on [pregnancy outcomes](#) has not been well understood," said study author Alexandra Purdue-Smithe, Ph.D., of Brigham and Women's Hospital in Boston. "Our large prospective study found links between migraine and [pregnancy complications](#) that could help inform doctors and women with migraine of potential risks they should be aware of during pregnancy."

For the study, researchers looked at more than 30,000 pregnancies in roughly 19,000 women over a 20-year period. Of those pregnancies, 11% of the women reported that they were diagnosed by a doctor with migraine before pregnancy.

Researchers examined women's complications during pregnancy such as [preterm delivery](#), defined as a baby born before 37 weeks gestation, [gestational diabetes](#), gestational high blood pressure, preeclampsia, and low birthweight.

After adjusting for age, obesity, and other behavioral and health factors that could affect the risk of complications, researchers found that when compared to women without migraine, women with migraine had a 17% higher risk of preterm delivery, a 28% higher risk of gestational high

blood pressure, and a 40% higher risk of preeclampsia. Of the 3,881 pregnancies among women with migraine, 10% were delivered preterm, compared to 8% of the pregnancies among women without migraine. For gestational [high blood pressure](#), 7% of pregnancies among women with migraine developed this condition compared to 5% among pregnancies in women without migraine. For preeclampsia, 6% of pregnancies among women with migraine experienced it, compared to 3% of pregnancies among women who did not have migraine.

In addition, when looking at migraine with and without aura, women who had migraine with aura were 51% more likely to develop preeclampsia during pregnancy than women without migraine, while those who had migraine without aura were 29% more likely.

Researchers found that migraine was not associated with gestational diabetes or low birthweight.

"While the risks of these complications are still quite low overall, women with a history of migraine should be aware of and consult with their doctor on potential pregnancy risks," said Purdue-Smithe. "More research is needed to determine exactly why migraine may be associated with higher risks of complications. In the meantime, women with migraine may benefit from closer monitoring during pregnancy so that complications like preeclampsia can be identified and managed as soon as possible."

A limitation of the study was that although migraine history was reported prior to pregnancy, information on migraine aura was not collected until later in the study, after many of the pregnancies ended. So the findings for migraine aura may have been influenced by participants' ability to accurately remember their experiences. Another limitation is that information on migraine attack frequency and other migraine features was not available. Additional studies will be needed to address these

limitations and better inform how pregnant [women](#) with a history of [migraine](#) should be screened and monitored for potential [pregnancy](#) complications.

Provided by American Academy of Neurology

Citation: Is migraine tied to complications in pregnancy? (2022, February 24) retrieved 25 April 2024 from <https://medicalxpress.com/news/2022-02-migraine-tied-complications-pregnancy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--