

Survey: Psychological distress higher in UK than other countries during pandemic

February 25 2022



Credit: Pixabay/CC0 Public Domain

The UK had the highest levels of psychological distress in the midst of the COVID-19 pandemic compared with other economically developed nations, according to new research by Kingston University in partnership

with London South Bank University (LSBU) and Imperial College Business School.

The researchers surveyed more than 5,000 people in representative samples from the UK, China, Germany, Sweden, Italy, and the United States of America (U.S.) in March 2021.

Under normal circumstances and according to several studies, around 15% to 20% of the population in these countries would be expected to experience "moderate to severe psychological distress (anxiety and depression)" at a given moment in time. This includes symptoms such as disturbed sleep, difficulty concentrating and relaxing, and worrisome thoughts.

The survey found significant differences between the six countries in March 2021 including:

- 47% of UK respondents suffering from "moderate to severe psychological distress"
- 42% of Italian respondents suffering from "moderate to severe psychological distress"
- 40% of U.S. respondents suffering from "moderate to severe psychological distress"
- 19% of Chinese respondents suffering from "moderate to severe psychological distress."

The percentage of those reporting moderate to severe psychological distress averaged 33% across the six countries. Psychological distress was measured in the survey using the [Patient Health Questionnaire Anxiety and Depression Scale](#).

Professor Ana Nikčević, Professor of Psychology and Mental Health at Kingston University's Faculty of Business and Social Sciences, said: "We

believe our research results provide useful evidence to national governments on shaping appropriate measures of support for those groups most affected by the [pandemic](#).

"Addressing the psychological consequences, which have been particularly devastating for some subgroups, must be made a priority as we start to exit the state of the pandemic and learn to live with COVID-19."

Professor Marcantonio Spada, professor of addictive behaviors and mental health and dean of the School of Applied Sciences at LSBU, said: "Our study clearly shows that psychological distress was rife, particularly in the UK, Italy and the U.S., in the midst of the COVID-19 pandemic and it raises important questions as to what could have been done better to protect people's [mental health](#)."

Professor Spada said the threat of the virus inevitably affected people's psychology. "Extensive lockdowns in the UK, Italy and parts of the U.S. led to social isolation and economic hardship which further exacerbated distress," he added.

Professor Walter Distaso, professor of financial econometrics at Imperial College Business School, said: "Our research shows that at the height of the pandemic, levels of psychological [distress](#) were found to be much higher in young adults, women (of all ages), those with a university education, the unemployed and students. As a confirmation of their resilience, we found that women were more likely to report higher levels of stress and anxiety, but significantly less likely to struggle to carry out activities related to their professional, social and domestic life."

Provided by Kingston University, London

Citation: Survey: Psychological distress higher in UK than other countries during pandemic (2022, February 25) retrieved 4 May 2024 from <https://medicalxpress.com/news/2022-02-survey-psychological-distress-higher-uk.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.