

Signs and symptoms may ID COVID-19 even with negative RT-PCR

February 24 2022



Hospitalized patients early in the pandemic who repeatedly tested

negative with reverse-transcriptase polymerase chain reaction (RT-PCR) but had signs and/or symptoms of COVID-19 had similar seropositivity as RT-PCR-confirmed COVID-19 patients, but were less likely to receive treatment, according to a study published online Feb. 13 in *BMC Infectious Diseases*.

Heta Parmar, from Rutgers New Jersey Medical School in Newark, and colleagues used comparative serology from early in the COVID-19 pandemic to estimate the likelihood of COVID-19 infection among RT-PCR-negative patients with [clinical signs](#) and/or symptoms compatible with COVID-19. Serological testing was conducted between April and October 2020 for 20 patients with signs and symptoms of COVID-19 who were repeatedly negative by RT-PCR ("probables"); 15 patients with signs and symptoms of COVID-19 but with a potential alternative diagnosis ("suspects"); 43 patients with no signs or symptoms of COVID-19 ("nonsuspects"); 40 RT-PCR-confirmed COVID-19 patients; and 55 prepandemic samples.

The researchers found that seropositivity and levels of immunoglobulin (Ig)G and IgM antibodies were similar for probables and propensity score-matched RT-PCR-confirmed COVID-19 patients, but they had multifold higher seropositivity rates compared with suspects and matched nonsuspects. Compared with RT-PCR-confirmed COVID-19 patients with similar disease severity, probables were half as likely to receive COVID-19 treatment.

"What we found was quite surprising," a coauthor said in a statement. "The people who repeatedly tested negative and had symptoms without an alternative diagnosis had a similar antibody profile as those who were RT-PCR-confirmed positive."

More information: Heta Parmar et al, RT-PCR negative COVID-19, *BMC Infectious Diseases* (2022). [DOI: 10.1186/s12879-022-07095-x](https://doi.org/10.1186/s12879-022-07095-x)

Several authors disclosed financial ties to the biotechnology industry.

© 2022 HealthDay. All rights reserved.

Citation: Signs and symptoms may ID COVID-19 even with negative RT-PCR (2022, February 24) retrieved 3 May 2024 from <https://medicalxpress.com/news/2022-02-symptoms-id-covid-negative-rt-pcr.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--