

Transgender youth on puberty blockers and gender-affirming hormones have lower rates of depression and suicidal thoughts

February 28 2022, by Diana Tordoff, Arin Collin



Credit: Unsplash/CC0 Public Domain

Recent studies estimate that <u>1.8%</u> to <u>2.7%</u>—or approximately 750,000 to 1.1 million—adolescents in the U.S. identify as transgender or



nonbinary. Many of these trans youth experience high levels of negative mental health symptoms due to anti-transgender stigma, discrimination and lack of family or peer support. A <u>2021 study</u> found that as much as 72% of trans youth were depressed, and half had seriously considered suicide.

We are an <u>epidemiologist</u> and fourth-year <u>medical student</u> who study ways to make <u>clinical care</u> more inclusive for trans and nonbinary people. We conducted a <u>study</u> in collaboration with the <u>Seattle</u> <u>Children's Hospital Gender Clinic</u> that found that transgender youth on puberty blockers and gender-affirming <u>hormone therapy</u> are less likely to report depression and suicidal thoughts.

Safe and proven treatments

<u>Puberty blockers</u> are medications that delay puberty. By temporarily stopping the body from making the hormones that lead to puberty-related changes, <u>young people</u> and their families are given time to pause and make health decisions. These medications have been used for <u>over 30 years</u> to treat young people with puberty that starts too early, also called <u>precocious puberty</u>.

Gender-affirming hormone therapy, like <u>testosterone</u> or <u>estrogen</u>, are medications that allow trans youth to experience a puberty appropriately aligned with their gender.

There is no shortage of scientific and clinical societies that have found these medications to be both safe and effective for transgender people.

Numerous medical and professional societies, including the American Academy of Pediatrics, the American Academy of Child and Adolescent Psychiatry and the American Medical Association, endorse access to gender-affirming care specifically for trans youth.



Social support, as well as access to gender-affirming care, is known to significantly reduce poor mental health in trans youth. In addition, several recent studies have suggested that early access to puberty blockers and hormones during adolescence can have long-term positive effects that last into adulthood. Despite these benefits, many young people face significant barriers in accessing gender-affirming care. Only 1 in 5 youth who need hormones have been able to access them.

To further examine the mental health effects of puberty blockers and hormone therapy, we followed 104 trans and nonbinary youth ages 13 to 20 during their first year of gender-affirming care. After one year, we found that young people who began puberty blockers or gender-affirming hormones were 60% less likely to be depressed and 73% less likely to have thoughts about self-harm or suicide compared to youth who hadn't started these medications.

In addition, young people who were unable to start these medications within three to six months of their first appointment with a medical provider had a two- to threefold increase in depression and suicidal thoughts. Our findings suggest that delays in prescribing hormones and puberty blockers may worsen mental health symptoms for trans youth.

What this means for anti-transgender legislation

2021 and 2022 have been record-breaking years for <u>anti-transgender</u> <u>legislation</u>, including attempts to <u>criminalize gender-affirming care</u> for trans youth.

Banning gender-affirming care will have immediate and long-term negative effects on the well-being of trans youth and their families, both by increasing the stigma and discrimination these young people face and by denying them access to critical life-saving and evidence-based health care. Our study builds on existing scientific evidence and underscores



that timely access to gender-affirming care saves trans youth lives.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Transgender youth on puberty blockers and gender-affirming hormones have lower rates of depression and suicidal thoughts (2022, February 28) retrieved 20 April 2024 from https://medicalxpress.com/news/2022-02-transgender-youth-puberty-blockers-gender-affirming.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.