

Undernourished infants at risk for lung restriction, weaker health as adults, study finds

February 10 2022



Credit: CC0 Public Domain

Infants and children with poor nutrition and growth are more likely to suffer from a serious respiratory condition that has been linked to



comorbidities and early mortality as adults, according to an international investigation led by researchers at the University of Arizona Health Sciences.

The study, published in *The Lancet Respiratory Medicine*, is the first to identify early-life risk factors for spirometric restriction in <u>adult life</u>. A team led by Stefano Guerra, MD, Ph.D., MPH, director of population sciences at the UArizona Health Sciences Asthma and Airway Disease Research Center, found three <u>risk factors</u> that were significantly linked to adult spirometric restriction: maternal nutritional problems during pregnancy, <u>low birth weight</u> for gestational age, and below normal weight in childhood.

Spirometric restriction, a restrictive lung disease that decreases total lung capacity, is an important marker of poor general <u>health</u> and has been linked to an increase in cardiovascular disease, diabetes and metabolic syndrome, as well as a higher risk of dying of any cause.

"Participants who were underweight in childhood had a risk of developing lung restriction that was three times higher than children with normal weight," said Dr. Guerra, a professor of medicine and the Henry E. Dahlberg Chair in Asthma Research at the UArizona College of Medicine—Tucson.

"Similar increased risks for spirometric restriction were found for infants who were born small for gestational age. This may be an indicator that during early development, perhaps even in utero, something went wrong, and that's affecting your lungs as well as your cardiovascular system and other organs. That might explain the comorbidity and increased mortality risk that we see with this restrictive pattern."

Researchers examined data from participants who were tracked over two



to four decades, from infancy to adulthood, in long-term respiratory studies including the Tucson Children's Respiratory Study at the Asthma and Airway Disease Research Center and two similar studies in Great Britain and Sweden.

Study participants whose mothers had nutritional problems such as anemia and excessive vomiting during pregnancy were twice as likely to have spirometric restriction at ages 22-36. Infants who were born small for their gestational age were nearly three times more likely to develop spirometric restriction as adults. And when childhood nutritional status was evaluated from ages 6 to 16, participants who were underweight—particularly those with deficits in lean body mass—were three times more likely than those with a <u>normal weight</u> to develop spirometric restriction as adults.

"What was striking is how consistent the findings were. This association was pretty much identical in each of the three cohorts," said Dr. Guerra, who is a member of the BIO5 Institute.

"Our findings really highlight that growth and nutrition problems very early in life have a long-term effect or consequence on adult lung health," added co-author Nipasiri Trudeau, née Voraphani, a statistician in the Asthma and Airway Disease Research Center who earned a doctorate in medicine in Thailand before emigrating to the U.S.

Dr. Guerra and other UArizona Health Sciences investigators are now studying whether children can "catch up" and improve their long-term health through better nutrition or other interventions.

More information: Nipasiri Voraphani et al, The role of growth and nutrition in the early origins of spirometric restriction in adult life: a longitudinal, multicohort, population-based study, *The Lancet Respiratory Medicine* (2021). DOI: 10.1016/S2213-2600(21)00355-6



Provided by University of Arizona

Citation: Undernourished infants at risk for lung restriction, weaker health as adults, study finds (2022, February 10) retrieved 8 May 2024 from https://medicalxpress.com/news/2022-02-undernourished-infants-lung-restriction-weaker.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.