

Aspirin may reduce death in hospitalized COVID-19 patients

March 24 2022



Credit: Pixabay/CC0 Public Domain

Researchers at the George Washington University published findings from the world's largest cohort study showing that hospitalized patients with moderate COVID-19 who were given aspirin early on in their treatment had a lower risk of dying compared to patients who were not given aspirin.



Lead researcher, Jonathan Chow said, "This is our third study and the culmination of 15 months of work looking at aspirin use in hospitalized COVID-19 patients. We continue to find that aspirin use is associated with improved outcomes and lower rates of death in hospitalized patients. What's more, it's low cost and readily available, which is important in parts of the world where more expensive therapeutics might not be as accessible."

The study included the largest data set of 112,269 patients hospitalized with moderate COVID-19. The data included patients enrolled from January 1, 2020, through September 10, 2021, at 64 <u>health systems</u> in the United States participating in the National Institute of Health's National COVID Cohort Collaborative (N3C).

Researchers found a 1.6% reduction in mortality when aspirin was given within the first day of hospitalization in patients with moderate disease severity and that patients were less prone to forming blood clots. They also found that <u>elderly patients</u> and patients with one or more comorbidities especially benefit from early aspirin therapy.

Keith Crandall, Director of the Computational Biology Institute (CBI) at George Washington University, the organization that helped assemble and input GW's data into the NIH database and curate the dataset into a usable format for the <u>statistical analysis</u>, said, "This research is vital to providing physicians and patients effective and accessible COVID-19 treatments to help reduce in-hospital mortality rates and help people recover from this potentially devastating disease."

Chow and his team have been focused on this topic since the beginning of the pandemic. Their <u>first study published in April 2021</u> and <u>the second study published in November 2021</u>.

This latest study, "Association of Early Aspirin Use With In-Hospital



Mortality in Patients With Moderate COVID-19" will be published on March 24 in *JAMA Network Open*.

More information: Association of Early Aspirin Use With In-Hospital Mortality in Patients With Moderate COVID-19, *JAMA Network Open* (2022). DOI: 10.1001/jamanetworkopen.2022.3890

Provided by George Washington University

Citation: Aspirin may reduce death in hospitalized COVID-19 patients (2022, March 24) retrieved 20 April 2024 from

https://medicalxpress.com/news/2022-03-aspirin-death-hospitalized-covid-patients.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.