

Breakthrough hospitalizations 'extremely uncommon' after COVID-19 immunity, study finds

March 22 2022



Credit: Unsplash/CC0 Public Domain

Fewer than 1 in 1,000 people who have been vaccinated or previously infected with COVID-19 were hospitalized with a new breakthrough

infection, Mayo Clinic research finds. The study, which is published in *Clinical Infectious Diseases*, supports previous studies that show vaccination is the best way to prevent severe COVID-19 infection, hospitalization and death.

"In the general primary care patient population, those who have been vaccinated have very low risk of subsequent hospitalization for breakthrough COVID-19," says lead author Benjamin Pollock, Ph.D., a [researcher](#) in the Mayo Clinic Robert D. and Patricia E. Kern Center for the Science of Health Care Delivery. "Our study shows that while it can and does happen, that these occurrences are extremely uncommon."

The researchers created a [longitudinal study](#) of 106,349 primary care patients at Mayo Clinic in Rochester who were 18 or older and tested positive for COVID-19, and/or were vaccinated for COVID-19. Of those patients, only 69 were hospitalized because of a breakthrough COVID-19 [infection](#).

The researchers found the hospitalization rate was:

- 0.06%, or 6 in 10,000 for vaccinated patients.
- 0.03%, or 3 in 10,000, in previously infected but unvaccinated people.
- 0.01%, or 1 in 10,000, among those who were both vaccinated and infected previously.

While there were slight differences between the three groups, the researchers note the difference is not statistically significant.

"We found these results to be in line with previous studies, although the interpretation shouldn't necessarily be that [natural immunity](#) provides the same protection as vaccination," says Dr. Pollock. "Rather, this study found that among our primary care population, both natural immunity

and vaccine immunity appeared to lead to very low rates of breakthrough hospitalizations."

The researchers looked at breakthrough cases that resulted in hospitalization, but they did not compare immunity after infection and vaccination rates among mild or asymptomatic breakthrough cases.

"We know that vaccination remains the safest route to protection from COVID-19 infection and [severe disease](#)," says Aaron Tande, M.D., a Mayo Clinic infectious diseases physician, and a co-author of the study. "I explain to my patients that a COVID-19 vaccine provides additional protection, even if they have been previously infected. For those who have not been infected, vaccination remains the safest and most reliable route of protection."

Previous studies have shown similar results, the researchers note. Some studies have shown that immunity after infection prevents the most hospitalizations. Other studies have shown that vaccination prevents the most hospitalizations. In both cases, breakthrough hospitalizations are similarly rare.

"Because it's impossible to tell in advance how severe a first infection may be, or who among vulnerable populations the virus may spread to, waiting for natural immunity is a gamble and not a safe alternative," Dr. Tande says.

More information: Ghady Haidar et al, Prospective evaluation of COVID-19 vaccine responses across a broad spectrum of immunocompromising conditions: the COVICS study, *Clinical Infectious Diseases* (2022). [DOI: 10.1093/cid/ciac103](https://doi.org/10.1093/cid/ciac103)

Provided by Mayo Clinic

Citation: Breakthrough hospitalizations 'extremely uncommon' after COVID-19 immunity, study finds (2022, March 22) retrieved 6 May 2024 from <https://medicalxpress.com/news/2022-03-breakthrough-hospitalizations-extremely-uncommon-covid-.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.