

Study suggests e-cigarettes reverse decades of decline in percentage of US youth struggling to quit nicotine

March 22 2022



Credit: CC0 Public Domain

The number of adolescents who have attempted to quit e-cigarettes and failed has grown with the rapid increase of teen e-cigarette use in the

past five years, according to a study by University of Michigan researchers.

The findings suggest, however, that [e-cigarette](#) use has reversed a two decade-long decline among youth who made attempts to quit nicotine and failed.

In 2020, 6% of teens reported a failed quit attempt for either [cigarettes](#) or [e-cigarettes](#). This compares with a failed quit attempt level for cigarettes of 4% in 2009, when cigarettes were the primary nicotine product for adolescents and e-cigarette prevalence was still near zero.

The 2020 level of 6% (for both cigarettes and e-cigarettes combined) compares with the percentage of youth with failed attempts to quit regular cigarettes that was at 10% in 1997 and that gradually declined over the next two decades to 2% by 2020.

"These results indicate that failed nicotine quit attempt levels have gone back to where they were about 17 years ago for adolescents," said Richard Miech, research professor at the U-M Institute for Social Research and lead author of the study published in the *Journal of the American Medical Association*.

The analysis used data from U-M's Monitoring the Future, a project funded by the National Institute on Drug Abuse. The project annually conducts nationally representative surveys of U.S. 8th-, 10th- and 12th-grade students. For this study, the analysis pool was 815,690 students who participated in the [project](#) between 1997 and 2020.

The survey asks students about their use of cigarettes and e-cigarettes. The survey asks students who report ever smoking a cigarette, "Have you ever tried to stop smoking cigarettes and found that you could not?" The survey added a new question in 2020 that asks students who report ever

vaping nicotine: "Have you ever tried to stop vaping nicotine and found that you could not?" Response categories were "yes" and "no."

"Tobacco control efforts are largely responsible for the two-decade decline in failed nicotine quit attempts, which was brought about by a marked decline in adolescent cigarette use since 2000," Miech said.

"Unfortunately, the recent rise in [adolescent e-cigarette use](#), and growing numbers of adolescents who try to quit e-cigarettes and fail, have eroded much of this decline in adolescents who struggle with nicotine."

In addition to Miech, study co-authors include Patrick O'Malley and Lloyd Johnston of U-M and Adam Leventhal and Jessica Barrington-Trimis of the University of Southern California.

More information: Richard Miech et al, Failed Attempts to Quit Combustible Cigarettes and e-Cigarettes Among US Adolescents, *JAMA* (2022). [DOI: 10.1001/jama.2022.1692](https://doi.org/10.1001/jama.2022.1692)

Provided by University of Michigan

Citation: Study suggests e-cigarettes reverse decades of decline in percentage of US youth struggling to quit nicotine (2022, March 22) retrieved 8 May 2024 from <https://medicalxpress.com/news/2022-03-e-cigarettes-reverse-decades-decline-percentage.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.