


Game-changing new therapy to lower cholesterol and stabilize plaques associated with heart attack

March 18 2022



Credit: *JACC: Cardiovascular Imaging* (2022). DOI: 10.1016/j.jcmg.2022.03.002

A novel new therapy has been found to reduce harmful plaque in arteries and change its composition so it is less likely to rupture and cause a heart attack, following a clinical trial led by the Victorian Heart Institute (VHI) at Monash University.

The HUYGENS study treated high-[risk patients](#) over a 12 month period and was successful in a number of ways by combining commonly used

statins together with a cholesterol-lowering drug called Evolocumab, which is already available to patients.

Using a new imaging method, researchers were able to view a change in the biology or composition of the harmful plaque in the arteries following treatment, not only reducing its size but changing it from hot to cold, rendering it effectively scar tissue and stable.

The degree to which this was successful was also directly related to how much the patient's bad cholesterol was lowered.

Lowering cholesterol is an important strategy in helping mitigate [risk factors](#), but the [new therapy](#) was highly effective in reducing cholesterol ratios down to 0.7mmol/L, which is lower than the current clinical guidelines of less than or equal to 1.8 mmol/L suggested in the first instance.

The study is now published in the *Journal of the American College of Cardiology: Cardiovascular Imaging*.

Plaque consists of cholesterol, fatty substances, [waste products](#), calcium and the clot-making substance fibrin. It typically builds up on artery walls over many years and can clog or damage your arteries, which limits or stops [blood flow](#) to your [heart muscle](#).

Professor Stephen Nicholls, Director of Monash University's Victorian Heart Institute and HUYGENS trial lead, says the trial tells clinicians that they need to work as hard as they can to keep cholesterol down as low as they can and maintain it.

"It is important after a heart attack to lower [cholesterol](#) as much as possible and with this new therapy, we can reduce it to an extent we haven't seen before while also stabilizing plaque, making it less likely to

burst. This is a new frontier in therapy," Professor Nicholls said.

He adds: "If you've had a heart attack, you are twice as likely to die prematurely compared to the general population. These findings show that plaque reduction and stabilization was doubled for high-risk patients who had already experienced a [heart attack](#), making it effective for those who need it most."

The paper is published in the *Journal of the American College of Cardiology: Cardiovascular Imaging* is titled "Effect of Evolocumab on Changes in Coronary Plaque Phenotype and Burden in Statin-Treated Patients Following Myocardial Infarction."

More information: Stephen J. Nicholls et al, Effect of Evolocumab on Changes in Coronary Plaque Phenotype and Burden in Statin-Treated Patients Following Myocardial Infarction, *JACC: Cardiovascular Imaging* (2022). [DOI: 10.1016/j.jcmg.2022.03.002](https://doi.org/10.1016/j.jcmg.2022.03.002)

Provided by Monash University

Citation: Game-changing new therapy to lower cholesterol and stabilize plaques associated with heart attack (2022, March 18) retrieved 19 April 2024 from <https://medicalxpress.com/news/2022-03-game-changing-therapy-cholesterol-stabilize-plaques.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--