

NAFLD may raise risk for severe hypoglycemia in T2DM

March 7 2022



Nonalcoholic fatty liver disease (NAFLD) is associated with a higher



risk for severe hypoglycemia in patients with type 2 diabetes, according to a study published online Feb. 23 in *JAMA Network Open*.

Ji-Yeon Lee, M.D., Ph.D., from Yonsei University College of Medicine in Seoul, South Korea, and colleagues explored the association of NAFLD with <u>severe hypoglycemia</u> among patients with type 2 diabetes. The analysis included 1.9 million individuals (aged 20 years or older) who had a <u>medical examination</u> from January 2009 through December 2012, with follow-up through 2015.

- The researchers found that 2.3% of individuals experienced one or more severe hypoglycemia events, and those with severe hypoglycemia were older (mean age, 67.9 versus 57.2 years) and had lower mean body mass index (24.2 versus 25.1) versus those without severe hypoglycemia.
- When adjusting for multiple clinical factors, including body mass index, there was a J-shaped association noted between the fatty liver index and severe hypoglycemia (5th decile: adjusted hazard ratio [aHR], 0.86; 95% confidence interval [CI], 0.83 to 0.90; 9th decile: aHR, 1.02; 95% CI, 0.96 to 1.08; 10th decile: aHR, 1.29; 95% CI, 1.22 to 1.37).
- The estimated risk for hypoglycemia was higher in participants with NAFLD (aHR, 1.26; 95% CI, 1.22 to 1.30), and the association was more prominent in <u>female participants</u> (aHR, 1.29; 95% CI, 1.23 to 1.36) and those with underweight (aHR, 1.71; 95% CI, 1.02 to 2.88).

"Presence of NAFLD should be considered when evaluating vulnerability to hypoglycemia in patients with type 2 diabetes," the authors write.

More information: Ji-Yeon Lee et al, Analysis of Severe Hypoglycemia Among Adults With Type 2 Diabetes and Nonalcoholic



Fatty Liver Disease, *JAMA Network Open* (2022). DOI: 10.1001/jamanetworkopen.2022.0262

© 2022 HealthDay. All rights reserved.

Citation: NAFLD may raise risk for severe hypoglycemia in T2DM (2022, March 7) retrieved 23 June 2024 from https://medicalxpress.com/news/2022-03-nafld-severe-hypoglycemia-t2dm.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.