

Vaccines help to prevent COVID-related emergency department, urgent care visits for children and adolescents

March 1 2022



Credit: Pixabay/CC0 Public Domain

Using data from 10 states, a study from the U.S. Centers for Disease Control and Prevention (CDC) is one of the first real-world studies to

show that two doses of an mRNA vaccine provide protection against COVID-19 associated emergency department and urgent care visits among children ages 5 to 11.

The study also found that two doses of an mRNA [vaccine](#) provide protection against COVID-19 associated emergency department and urgent care visits as well as very high protection against hospitalization among [adolescents](#) aged 12 to 17.

"A positive pattern, similar to what we have reported in adults, is emerging," said study co-author Shaun Grannis, M.D., M.S., vice president for data and analytics at Regenstrief Institute and professor of family medicine at Indiana University School of Medicine. "Prevention of [emergency department](#) and urgent care visits shows that the vaccines are thwarting moderate COVID-19 in both children and adolescents; prevention of hospitalizations in 12- to-17-year-olds indicates vaccine effectiveness against more serious disease in this age group, which we hope to also see in 5-to-11-year-olds when there is sufficient data."

"We now have compelling evidence that vaccines, and for 16- and 17-year-olds, boosters, provide important protection for both [children](#) and adolescents—data-driven information that parents should take into consideration when making decisions for their family," said Dr. Grannis.

The study was conducted by the CDC's VISION Network which includes, in addition to the Regenstrief Institute (Indiana), Baylor Scott & White Health (Texas), Columbia University Irving Medical Center (New York), HealthPartners (Minnesota and Wisconsin), Intermountain Healthcare (Utah), Kaiser Permanente Northern California (California), Kaiser Permanente Northwest (Oregon and Washington) and University of Colorado (Colorado).

More information: Nicola P. Klein et al, Effectiveness of COVID-19

Pfizer-BioNTech BNT162b2 mRNA Vaccination in Preventing COVID-19–Associated Emergency Department and Urgent Care Encounters and Hospitalizations Among Nonimmunocompromised Children and Adolescents Aged 5–17 Years—VISION Network, 10 States, April 2021–January 2022, *MMWR. Morbidity and Mortality Weekly Report* (2022). [DOI: 10.15585/mmwr.mm7109e3](https://doi.org/10.15585/mmwr.mm7109e3)

Provided by Regenstrief Institute

Citation: Vaccines help to prevent COVID-related emergency department, urgent care visits for children and adolescents (2022, March 1) retrieved 12 May 2024 from <https://medicalxpress.com/news/2022-03-vaccines-covid-related-emergency-department-urgent.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.