


Youngest brain tumor patients have significantly poorer outcomes than older pediatric patients

March 18 2022



Credit: CC0 Public Domain

A University of Colorado (CU) Cancer Center researcher has found, through extensive data analysis, that the youngest patients with brain tumors—those ages birth to 3 months—have about half the five-year survival rate as children ages 1 to 19.

In research findings recently published in the *Journal of Neuro-Oncology*, Adam Green, MD, an associate professor of pediatric hematology/oncology in the CU School of Medicine, and his co-researchers analyzed population-based data for almost 14,500 [children](#) ages 0 to 19 who were diagnosed with [brain](#) tumors. They found significantly poorer outcomes among the youngest patients.

"It's unusual to see infants or babies with brain tumors, but we do see them," Green explains. "We generally just don't have the same standards of treatment that we do for [older children](#). We also know that infants can't report their own symptoms like older kids often can."

Analyzing nationwide cancer data

Green and his co-researchers used data from the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program, a national cancer registry that covers more than a quarter of the U.S. population and represents the extensive diversity of the country.

The researchers extracted SEER data relating to childhood brain tumors and divided it into three age groups—0 to 3 months, 3 to 6 months, and 6 to 12 months. They compared data in these three groups with brain

tumor data in people ages 1 to 19.

What they discovered, Green says, is that "the types of brain tumors that babies get are different than in [older patients](#), and that's an important finding in and of itself. The most important findings we had were that the survival that babies have from brain tumors is worse than older kids for almost all of the types of brain tumors we study."

Further data analysis showed that five-year survival in the 0 to 3 months age group is between 30 and 35%, whereas five-year survival in the 1 to 19 age group is about 70 percent. Five-year survival in the 3 to 6 month and 6 to 12 month age groups was also significantly lower than in older children.

Decreased survival rates for youngest brain tumor patients

This stark contrast in five-year survival rates "suggests that there may be just a lot of confusion and concern and reluctance in the pediatric neuro-oncology community to give these infants treatment or to perform surgery," Green says. "That may be a major cause of why these kids don't do as well. Also, they're more likely to present with metastatic disease when they do present with cancer, partly because they can't report their own symptoms so their diagnosis may be delayed."

The youngest patients' tumors show a different biology than tumors in older children and are often diagnosed in prenatal ultrasounds. Symptoms are different between age groups as well. Older children may present with headaches or vomiting, whereas "babies obviously aren't reporting headaches, but they may be inconsolably fussy over long periods of time or have a rapidly expanding head circumference that's off the growth charts," Green says. "They may not be meeting

developmental milestones or may have abnormalities in the way their eyes move. The symptoms may be more subtle and not typical of the usual brain tumor symptoms in older children."

A particular challenge in treating the youngest patients with brain tumors is that though there are established standards of care and treatment for pediatric brain tumors, [health care providers](#) may be reluctant to use them on very young babies.

"We have radiation-sparing regimens that we use for children under 5, and we know those work well, but when it gets down to patients this young, it may be coming from the parents or from parents and medical teams thinking that it's going to be too toxic," Green explains. "There may be concern that patients this young are not going to tolerate surgery."

A goal of increased awareness

Green says he hopes an immediate effect of the study is to inform the health care community of the decreased five-year survival rates for children younger than 1 who develop brain tumors. In turn, he hopes this awareness will lead to an increased willingness to apply standard-of-care therapies to the youngest patients with brain tumors.

"Taking the longer view, we still need to understand the biology of these tumors better," Green says. "We have some understanding now of how a certain type of brain tumor in an infant is different than that same type of brain [tumor](#) in an older child and we may need dedicated, specialized treatment protocols for these youngest children."

Also, because many [brain tumors](#) in the youngest patients already are metastatic at diagnosis, "hopefully it will drive home the message in the general pediatrics community that there needs to be vigilance for this

possibility," Green says. "These tumors are rare, but primary care pediatricians and other folks in primary care need to be aware that these tumors can occur in infants. The biggest take-away is that these patients just aren't getting the treatment that would be considered standard in older kids."

More information: Muriel Hart et al, Population-based analysis of CNS tumor diagnoses, treatment, and survival in congenital and infant age groups, *Journal of Neuro-Oncology* (2022). [DOI: 10.1007/s11060-022-03967-z](https://doi.org/10.1007/s11060-022-03967-z)

Provided by CU Anschutz Medical Campus

Citation: Youngest brain tumor patients have significantly poorer outcomes than older pediatric patients (2022, March 18) retrieved 6 May 2024 from <https://medicalxpress.com/news/2022-03-youngest-brain-tumor-patients-significantly.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
