

Heal Thyself: Most who tear Achilles tendon can skip surgery

April 14 2022, by Maria Cheng



The foot of Georgia State head basketball coach Ron Hunter rests in a cast as he talks to the media, Monday, March 16, 2015, in Atlanta. Hunter torn his Achilles tendon. New research suggests that surgery may not be needed for most Achilles tendon tears. Doctors have long been divided over whether it's better to fix a torn Achilles tendon with surgery or just treat it with a brace and physical therapy. In the biggest-ever study investigating which treatment is best, scientists in Norway tracked 526 patients who had standard surgery, minimally invasive surgery, or no surgery. They reported Wednesday, April 13, 2022 that they found only slight

differences in how everyone had recovered about a year later, although there was a slightly higher chance of a re-injury in those who didn't have surgery. Credit: AP Photo/David Goldman

It's a weekend warrior's nightmare. You're playing hoops in the driveway and go up for a lay-up. You land and hear a pop: you've torn your Achilles tendon. Do you have surgery or hope it heals with just a cast and rehab? New research says both options led to similar outcomes about a year later.

The Achilles tendon, which connects the muscles in the back of the calf to the heel bone, is the most commonly torn tendon in the body. Most tears are due to trauma or accident while playing sports; men are much more prone to the [injury](#) than women.

In the biggest-ever study investigating which treatment is best, scientists in Norway tracked 526 [patients](#)—mostly men with an average age of 39—who ripped their Achilles tendon. They either had minimally invasive [surgery](#), a standard surgery or non-surgical treatment, a brace to immobilize the affected foot and [physical therapy](#). All patients got rehab therapy and were told to avoid risky activities for six months.

There were only slight differences in how everyone had recovered about a year later. There were more people who re-injured their Achilles tendon among those who didn't have surgery—6.2% versus 0.6% of those who had an operation. And there were more nerve injuries reported in those who had surgery. About 5% of those who had the minimally [invasive surgery](#) reported [nerve injuries](#) afterward, compared to 2.8% of those who had the standard surgery and 0.6% of those who skipped surgery. The study was published online Wednesday in the *New England Journal of Medicine*.

"For the [average person](#), who is not a high-performance athlete, there is no need to have surgery," said Dr. Matthew Costa, a professor of orthopedic trauma surgery at the University of Oxford and not part of the study. Costas said the only benefit to an operation might be to avoid the chance of a repeat injury, but said the chances of that were similar to the risk of a standard complication from surgery, like a wound infection.

He also said surgery could be helpful in other cases, including for people who don't realize they've torn the tendon until long after the injury. In those cases, the tendon may not have been able to heal properly.

Dr. William Levine, chair of orthopedic surgery at Columbia University's College of Physicians and Surgeons, said patients should talk through their options with their doctor to explore if surgery is appropriate.

"If you tear a tendon, there is a natural healing process in the body that occurs," Levine explained. "But it may heal in a position that's not ideal, and surgeons are able to fix it more precisely."

Dr. Stale Myhrvold, the study's lead author, said that for people to successfully skip surgery, patients need to have their affected foot in a brace early—within the first three days.

"Most acute Achilles [tendon](#) ruptures in adults can be treated non-operatively," he said in an email. "Most of my patients choose non-operative treatments after receiving this information."

—

This story has been corrected to fix the spelling of the last name of an expert quoted in the story. It is Dr. Matthew Costa, not Costas.

More information: Ståle B. Myhrvold et al, Nonoperative or Surgical

Treatment of Acute Achilles' Tendon Rupture, *New England Journal of Medicine* (2022). [DOI: 10.1056/NEJMoa2108447](https://doi.org/10.1056/NEJMoa2108447)

© 2022 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Heal Thyself: Most who tear Achilles tendon can skip surgery (2022, April 14)
retrieved 27 April 2024 from
<https://medicalxpress.com/news/2022-04-thyself-achilles-tendon-surgery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.