


3D in a snap: Developing a next generation system for imaging organoids

May 26 2022



An image of a colon organoid captured by a new system developed in Shu Jia's lab that can capture dynamic, 3D information about the lab-grown cultures of tissues in a single image. The raw image was captured in 0.1 seconds. The coloration represents depths of 60 and -60 micrometers from the focal plane to depict the organoid in three dimensions. Credit: Georgia Tech

Biomedical researchers develop and use organoids as a tool for studying human development and disease. These little lab-grown cultures mimic human organs and provide a sharp view of tissue development, drug interaction, and other biochemical functions, offering an innovative approach to personalized medicine.


"Getting detailed 3D images of these miniature models of organs, and getting a good look at how they change under different conditions or stimulation, can tell us a lot about how the body works," said Shuichi Takayama, professor and Price Gilbert Jr. Chair in Regenerative Engineering and Medicine in the Wallace H. Coulter Department of Biomedical Engineering at Georgia Tech and Emory University. "It can tell us how diseases progress, or how mechanical forces and certain drugs may change or affect cellular behavior."

The trick is in getting those detailed images. Fluorescence 3D microscopy has helped transform the study of organoids at the cellular and subcellular levels—though with a few drawbacks. Conventional methods are time consuming and don't adequately capture the fast, dynamic, sometimes unpredictable cellular and tissue processes of these model systems.

Now, a team of Georgia Tech researchers has built a better system to quickly produce high-resolution 3D images in real time, providing a quantitative analysis of organoids. Led by Coulter BME Assistant Professor Shu Jia, their custom-built microscope can reconstruct a comprehensive 3D representation with a single camera image. They described their system in the journal *Biosensors and Bioelectronics*.

Jia's new system builds on his lab's growing body of work in next-generation imaging systems. Conventional 3D imaging technologies rely on time-consuming, redundant scanning-based techniques, which can result in damaged cells and compromised images. Jia's team has

pioneered a faster light-field system that provides greater resolution and minimizes photo damage. Their new system does all of that and more.



This composite image shows a colon organoid with stained cell nuclei reconstructed from a raw image taken by a new system developed in the Coulter Department. The large image shows depth color coded from yellow (-56.2 micrometers from the focal plane) to purple (+56.2 micrometers from the focal

plane). The inset shows a tight crop of the distance between two cells of 3.65 micrometers. The single raw image was captured in 0.1 seconds. Credit: Georgia Tech

"This latest system is novel because it is entirely custom-built for imaging at the tissue and animal scale," said Jia, who earlier this year received a CAREER award from the National Science Foundation. "We built everything from scratch on an optical table."

Adding a hybrid point-spread function to the new system allows researchers to capture scanning-free recordings of intact organoids in all of their dynamic glory in milliseconds instead of minutes or even hours using conventional methods. With a single camera image, Jia's system can reconstruct a time-lapse observation of the 3D volume of the samples.

"We can look—cell by cell—throughout the entire [organoid](#), in high spatial and time resolution, and see from multiple angles what happens as a result of an external perturbation, or a response to a specific drug, or any change in the overall environment," Jia said.

He said the imaging systems coming out of his lab have the potential to transform conventional 3D microscopy.

"Because this is a custom-built system, it's very flexible and adaptive," he added. "It works with organoids, but similarly, it can work with animal models. I think we can extend this method to different areas of research. There are a number of potential collaborations we are exploring."

More information: Wenhao Liu et al, Fourier light-field imaging of

human organoids with a hybrid point-spread function, *Biosensors and Bioelectronics* (2022). [DOI: 10.1016/j.bios.2022.114201](https://doi.org/10.1016/j.bios.2022.114201)

Provided by Georgia Institute of Technology

Citation: 3D in a snap: Developing a next generation system for imaging organoids (2022, May 26) retrieved 25 April 2024 from <https://medicalxpress.com/news/2022-05-3d-snap-imaging-organoids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.