

# What is fentanyl and why is it behind the deadly surge in US drug overdoses?

May 11 2022, by Kavita Babu

---



Credit: Pixabay/CC0 Public Domain

Buying drugs on the street is a game of Russian roulette. From Xanax to cocaine, drugs or counterfeit pills purchased in nonmedical settings may contain life-threatening amounts of fentanyl.

Physicians like me have seen a rise in unintentional fentanyl use from people buying prescription opioids and other drugs [laced, or adulterated, with fentanyl](#). Heroin users in my community in Massachusetts came to realize that fentanyl had entered the [drug](#) supply when [overdose numbers exploded](#). In 2016, my colleagues and I found that patients who came to the [emergency department](#) reporting a [heroin overdose](#) often [only had fentanyl present in their drug test results](#).

As the chief of medical toxicology at UMass Chan Medical School, I have [studied fentanyl and its analogs](#) for years. As fentanyl has become ubiquitous across the U.S., it has transformed the illicit drug market and raised the risk of [overdose](#).

## **Fentanyl and its analogs**

[Fentanyl](#) is a synthetic [opioid](#) that was originally developed as an analgesic—or painkiller—for surgery. It has a specific chemical structure with multiple areas that can be modified, often illicitly, to form related compounds with marked differences in potency.

For example, [carfentanil](#), a fentanyl analog formed by substituting one chemical group for another, is 100 times more potent than its parent structure. Another analog, [acetylfentanyl](#), is approximately three times less potent than fentanyl, but has still led to [clusters of overdoses in several states](#).

Despite the number and diversity of its analogs, fentanyl itself continues to [dominate the illicit opioid supply](#). Milligram per milligram, fentanyl is roughly [50 times more potent than heroin and 100 times more potent than morphine](#).

## **Lacing or replacing drugs with fentanyl**

Drug dealers have used fentanyl analogs as an adulterant in illicit drug supplies [since 1979](#), with fentanyl-related overdoses clustered in [individual cities](#).

The modern epidemic of fentanyl adulteration is far broader in its geographic distribution, production and number of deaths. Overdose deaths [roughly quadrupled](#), going from 8,050 in 1999 to 33,091 in 2015. From May 2020 to April 2021, [more than 100,000 Americans](#) died from a drug overdose, with over 64% of these deaths due to synthetic opioids like fentanyl and its analogs.

Illicitly manufactured fentanyl is [internationally synthesized](#) in China, Mexico and India, then exported to the United States as powder or pressed pills. Additionally, the emergence of the [dark web](#), an encrypted and anonymous corner of the internet that's a haven for [criminal activity](#), has facilitated the sale of fentanyl and other opioids shipped through [traditional delivery services](#), including the U.S. Postal Service.

Fentanyl is both sold alone and often used as an adulterant because its high potency allows dealers to traffic smaller quantities but maintain the drug effects buyers expect. Manufacturers may also add bulking agents, like flour or baking soda, to fentanyl to increase supply without adding costs. As a result, it is much more profitable to cut a kilogram of fentanyl compared to a kilogram of heroin.

Unfortunately, fentanyl's high potency also means that even just a small amount can prove deadly. If the end user isn't aware that the drug they bought has been adulterated, this could easily lead to an overdose.

### **Preventing fentanyl deaths**

As an [emergency physician](#), I give fentanyl as an analgesic, or painkiller, to [relieve severe pain](#) in an acute care setting. My colleagues and I

choose fentanyl when patients need immediate pain relief or sedation, such as anesthesia for surgery.

But even in the controlled conditions of a hospital, there is still a risk that using fentanyl can [reduce breathing rates](#) to dangerously low levels, the main cause of opioid overdose deaths. For those taking fentanyl in nonmedical settings, there is no medical team available to monitor someone's breathing rate in real time to ensure their safety.

One measure to prevent fentanyl overdose is [distributing naloxone to bystanders](#). Naloxone can reverse an overdose as it occurs by blocking the effects of opioids.

Another measure is increasing the availability of [opioid agonists](#) like methadone and buprenorphine that reduce opioid withdrawal symptoms and cravings, helping people stay in treatment and decrease illicit drug use. Despite the lifesaving track records of these medications, their availability is limited by [restrictions on where and how they can be used](#) and [inadequate numbers of prescribers](#).

Other strategies to prevent overdose deaths include [lowering the entry barrier](#) to addiction treatment, [fentanyl test strips](#), [supervised consumption sites](#) and even [prescription diamorphine \(heroin\)](#).

Despite the evidence supporting these measures, however, [local politics and funding priorities](#) often limit whether communities are able to give them a try. Bold strategies are needed to interrupt the ever-increasing number of [fentanyl](#)-related deaths.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: What is fentanyl and why is it behind the deadly surge in US drug overdoses? (2022, May 11) retrieved 25 April 2024 from <https://medicalxpress.com/news/2022-05-fentanyl-deadly-surge-drug-overdoses.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.