


Potential pathway linking infant infections to cardiovascular disease risk

May 10 2022



Credit: CC0 Public Domain

Researchers have discovered a potential pathway linking early life infections to cardiovascular disease risk later in adulthood, offering

opportunities for targeted intervention.

The study, led by the Murdoch Children Research Institute (MCRI) and published in *eLife*, found that elevated inflammation markers and changes in metabolism (the way the body's cells process food into energy) observed in infection-prone infants resembled those in adults at risk of [cardiovascular disease](#).

Murdoch Children's researcher Dr. Toby Mansell said the findings suggested that the impact of cumulative infections in infancy could predispose adults to a higher risk of heart disease, obesity, stroke and type 2 diabetes.

"We found the risk of adult-onset cardiovascular disease could be accruing from [early life](#)," he said. "We know babies are prone to infections. This causes inflammation, a key cardiometabolic risk factor, but the relationship between infection, inflammation, and metabolic profiles in [early childhood](#) had remained underexplored until this study."

The study involved 555 infants from the Barwon Infant Study, a collaborative project between Barwon Health, Murdoch Children's and Deakin University, with infant infections tracked over 12 months.

The research found high rates of infant infections by 12 months of age were associated with elevated [inflammation markers](#) and changes to metabolic profiles, which influence how the body processes fats, proteins and sugars.

Murdoch Children's Professor David Burgner said infection had been recognized as a potential contributor to cardiovascular disease, one of the leading causes of death in adults globally.

In Australia, cardiovascular disease accounts for a quarter of all deaths,

claiming the life of one person every 10 minutes. More than 4 million Australians have cardiovascular disease and someone is hospitalized with the disease every minute.

Professor Burgner said the research offered opportunities for early prevention measures such as identifying the types of infection and the children at highest risk, and how these risks might be offset by simple interventions.

"Targeted action could include promoting breastfeeding, ensuring timely vaccinations, and supporting families so that they can keep children at home if they are unwell with an infection," he said.

More information: Toby Mansell et al, Early life infection and proinflammatory, atherogenic metabolomic and lipidomic profiles in infancy: a population-based cohort study, *eLife* (2022). [DOI: 10.7554/eLife.75170](https://doi.org/10.7554/eLife.75170)

Provided by Murdoch Children's Research Institute

Citation: Potential pathway linking infant infections to cardiovascular disease risk (2022, May 10) retrieved 26 April 2024 from <https://medicalxpress.com/news/2022-05-potential-pathway-linking-infant-infections.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.