


Reconstructing axons of more than 6,000 projection neurons in the mouse prefrontal cortex

May 2 2022, by Ingrid Fadelli



Credit: *Nature Neuroscience* (2022). DOI: 10.1038/s41593-022-01041-5

The prefrontal cortex (PFC), the part of the cerebral cortex that covers the mammalian brain's frontal lobe, is implicated in the mental planning of complex behavior, decision-making and the moderation of social

behavior. Studies suggest that the PFC is also the "center" that integrates and regulates the activity of different parts of the brain.

While many neuroscientists worldwide have investigated this region of the brain and its functions, the organization of axon projections of PFC neurons is still poorly understood. The organization of these projections are believed to be closely associated with the PFC's ability to control and regulate a variety of brain regions.

Researchers at the Chinese Academy of Sciences and other institutes in China have recently used a tracing technique they created to reconstruct the axons of 6,357 projection neurons in the mouse PFC. Their paper, published in *Nature Neuroscience*, offers new insight that could improve the current understanding of this vital brain region.

"Each of four previously known major cortico-cortical subnetworks was targeted by a distinct group of PFC subtypes defined by their first-order axon collaterals," Le Gao and his colleagues wrote in their paper.

"Further analysis unraveled topographic rules of soma distribution within PFC, first-order collateral branch point-dependent target selection and terminal arbor distribution-dependent target subdivision."

To reconstruct axons in the mouse PFC, Gao and his colleagues used a tool they developed called "fast neurite tracer" (FNT). FNT is a software that carries out semi-automatic tracing in a 3D graphic interface, to reconstruct neuron and axon organizations in the whole brain.

The researchers used FNT to analyze images of 161 mice brains, which had been captured using fluorescence micro-optical sectioning tomography. This allowed them to reconstruct the axon morphologies of 6,357 projection neurons scattered throughout the entire mouse PFC.

"Our comprehensive analysis of axon projections unveiled 64 subtypes

of PFC projection neurons within the projectome, organization rules for their soma distribution in the PFC, as well as the patterns of their cortical and subcortical projections," the researchers wrote in their paper. "Furthermore, the study also revealed fine-grained topography at every level of the axonal projections, including primary axons, axon collaterals and terminal arbors."

Based on their findings, Gao and his colleagues were able to identify the hierarchical order in which sub-regions of the PFC were organized with high levels of precision. This led them to draw a hypothesis of how the PFC might integrate [sensory information](#) and regulate the activity of other brain regions.

"When combining this single-neuron projectome with single-cell transcriptome analysis, we showed that each transcriptome subtype in the PFC could correspond to multiple projectome subtypes found in different PFC subregions, underlying the importance of single-neuron projectome analysis for classifying neuronal subtypes," the researchers explained in their paper.

The recent study conducted by Gao and his colleagues could shed some more light on the organization of the organization of the axon projections of neurons in the mammalian PFC. In addition, their work highlights the promise of techniques for single-neuron projectome reconstruction, such as the one developed by the researchers.

New studies could try to determine whether the principles underpinning the organization of the projection neurons in the PFC unveiled by the researchers can also be generalized to other parts of the brain. In addition, the FNT tool they developed could be used to analyze other brain regions.

"Applications of our approach to other brain regions in mice or even in

primates will also undoubtedly be transformative for our understanding of the structural neural wiring of the [brain](#) that underpins diverse neural functions," the researchers said in their paper.

In their future studies, Gao and his colleagues would like to improve the efficiency of the neurite tracing platform they developed or develop a similar tool based on artificial intelligence. This could lead to even more precise neural mappings and reconstructions.

More information: Le Gao et al, Single-neuron projectome of mouse prefrontal cortex, *Nature Neuroscience* (2022). [DOI: 10.1038/s41593-022-01041-5](#)

© 2022 Science X Network

Citation: Reconstructing axons of more than 6,000 projection neurons in the mouse prefrontal cortex (2022, May 2) retrieved 23 April 2024 from <https://medicalxpress.com/news/2022-05-reconstructing-axons-neurons-mouse-prefrontal.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--