

## **Development of a user-friendly, hot-melt, wound-healing adhesive**

June 9 2022



Design (left) and application (right) of the single-syringe hot-melt tissue adhesive. Credit: Akihiro NishiguchiNational Institute for Materials Science

NIMS has developed a hot-melt tissue adhesive (i.e., medical glue that is applied in a molten state) capable of healing operative wounds. This adhesive has excellent medical material properties in terms of its ease of use, adhesiveness to tissues, biocompatibility and ability to prevent postoperative complications.

Post-surgical complications (e.g., adhesions, bleeding, inflammation and infections) are major issues in clinical medicine. For example, post-surgical adhesion—the binding of wounded <u>tissue</u> to a neighboring organ as it heals—can cause ileus, infertility and pelvic pain. This complication



also may negatively affect patients' quality of life, prolong hospitalization and necessitate further corrective surgery. Existing medical materials designed to prevent postoperative adhesion are known to have a number of disadvantages, including poor adhesiveness to tissues, difficulty in handling during endoscopy, cumbersome preparation and difficulty in preparing a homogeneous liquid mixture. It is therefore highly desirable to develop medical materials capable of minimizing the risk of <u>postoperative complications</u> with high degrees of adhesiveness to tissues, biocompatibility and manipulability.

This research team recently developed a single-syringe hot-melt tissue adhesive with an adjustable sol-gel transition temperature. Porcine skinderived gelatin—a commonly used medical material—was initially found to be unsuitable for use as a tissue adhesive because its sol-gel transition temperature was around 32°C, causing it to become a sol at body temperature (37°C). The team therefore used porcine tendonderived gelatin instead and added a specific number of ureidopyrimidinone (UPy) groups to it, thereby adjusting the number and strength of intermolecular hydrogen bonds within it.

Through this process, the team synthesized a new hot-melt tissue adhesive made of biopolymers (UPy gelatin) whose sol-gel transition temperature can be freely controlled. The team then designed it to melt to a sol above 40°C and solidify into a gel at body temperature. This tissue adhesive is expected to be able to transform into a stable gel within the <u>human body</u>, strongly bind to tissues and eventually decompose and be absorbed by the body, thereby preventing postoperative adhesions from developing and eliminating the need for secondary surgery. In fact, <u>animal testing</u> using rat cecum-abdominal wall models demonstrated that the use of this adhesive caused no postoperative adhesion.

In future research, the team plans to conduct preclinical studies and



biological safety testing with the goal of putting the tissue adhesive into practical use in clinical medicine.

This research was published in Acta Biomaterialia.

**More information:** Akihiro Nishiguchi et al, Hotmelt tissue adhesive with supramolecularly-controlled sol-gel transition for preventing postoperative abdominal adhesion, *Acta Biomaterialia* (2022). DOI: 10.1016/j.actbio.2022.04.037

Provided by National Institute for Materials Science

Citation: Development of a user-friendly, hot-melt, wound-healing adhesive (2022, June 9) retrieved 27 June 2024 from <u>https://medicalxpress.com/news/2022-06-user-friendly-hot-melt-wound-healing-adhesive.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.