

## An artificial intelligence probe to help see tumor malignancy

July 1 2022



A K<sup>+</sup> sensitive dual-mode nanoprobe with superior magnetic resonance contrast effect and K<sup>+</sup>-specific fluorescence imaging performance is developed for noninvasive tumor imaging and malignancy identification via a cascaded 'AND' logic operation. Credit: Science China Press

Tumor malignancy identification plays an essential role in clinical management of cancer. Currently, biopsy is the gold standard for malignancy identification in most tumor cases, it is, however, invasive



that can cause great discomfort to patients, and potentially increase the risk of distant metastases due to the complex sampling process. With the development of molecular imaging probes, non-invasive medical imaging approaches, such as magnetic resonance imaging (MRI), fluorescence imaging (FI), computed tomography, and ultrasound, etc., have been used for non-invasive tumor diagnosis. Nevertheless, majority of imaging strategies are often dependent on imaging probes that lack specificity for identification of tumor malignancy.

Considering that necrotic cell death and overexpressed potassium ion  $(K^+)$  channels are major hallmarks of <u>malignant tumors</u>, but not for benign ones, the extracellular  $K^+$  concentration is significantly elevated in the malignant tumor microenvironment compared with that of benign tissue. Based on this, a new research led by Prof. Daishun Ling from Shanghai Jiao Tong University reported a  $K^+$ -sensitive dual-mode imaging probe (KDMN) to realize real-time tumor imaging while identifying the <u>malignancy</u>.

The KDMN consists of optical K<sup>+</sup> indicators embedded in magnetic mesoporous silica nanoparticle, which is subsequently coated with a K<sup>+</sup>-selective membrane that exclusively permits the passage of K<sup>+</sup> while excluding other cations. The KDMNs afford superior MR contrast effect and K<sup>+</sup>-specific FI performance. Moreover, KDMN-enhanced MRI confers attenuated signals at the tumor sites for effective tumor detection. Meanwhile, KDMN-based K<sup>+</sup>-sensitive FI provides a significant difference in fluorescence signals between malignant tumors and benign ones because there is an elevated extracellular K<sup>+</sup> concentration in the malignant tumor microenvironment. Notably, the integration of KDMN-based MRI and FI via cascaded logic circuit has successfully achieved self-confirmation of dual-mode imaging results, thus allowing reliable and accurate imaging of tumor malignancy.

The study was recently published in National Science Review. The first



author is Dr. Qiyue Wang, and the corresponding authors are Prof. Daishun Ling from Shanghai Jiao Tong University and Prof. Fangyuan Li from Zhejiang University. "This is the first demonstration of a K<sup>+</sup>-sensitive dual-mode imaging probe for MRI/FI-cross-checked diagnosis of <u>tumor</u> malignancy," Prof. Ling said. "And this ion-sensitive cascaded 'AND' logic imaging strategy would pave the way for the development of next-generation imaging probes for highly sensitive and accurate diagnosis of ion dyshomeostasis associated diseases."

**More information:** Qiyue Wang et al, A K+-sensitive AND-gate dualmode probe for simultaneous tumor imaging and malignancy identification, *National Science Review* (2022). <u>DOI:</u> <u>10.1093/nsr/nwac080</u>

Provided by Science China Press

Citation: An artificial intelligence probe to help see tumor malignancy (2022, July 1) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2022-07-artificial-intelligence-probe-tumor-malignancy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.