

Gestures can improve understanding in language disorders

July 7 2022, by Melanie Nyfeler




Illustration of the Areas of interest (AOIs). This series of video frames shows the trajectory of the AOIs gesture and face during a co-speech gesture. Please note that the AOIs were dynamic that means they changed their position and size over time and always covered the entire hand gesture (visible part of the hands and forearm) or face of the speaker in the video. The AOI face includes the entire violet area including the transparent and opaque part. The central part of the AOI is opaque to protect the speaker's anonymity. Credit: *Neuropsychologia* (2022). DOI: 10.1016/j.neuropsychologia.2022.108315

When words fail, gestures can help to get the message across—especially for people who have a language disorder. An international research team

has now shown that listeners attend the gestures of people with aphasia more often and for much longer than previously thought. This has implications for the use of gestures in speech therapy.

People who suffer from an acquired language disorder due to a brain injury—for example after a stroke, traumatic [brain injury](#) or brain tumor—often have difficulties communicating with others. Previous research on aphasia indicates that these patients often try to express their needs using hand gestures. It was previously assumed that conversation partners pay relatively little attention to such non-verbal forms of communication—but this assumption was based on research involving participants without language disorders.

Communicating with gestures

A new study from the University of Zurich, carried out together with researchers from the Netherlands and Japan, looked at whether gestures receive more attention if the [verbal communication](#) is impeded by aphasia. The researchers showed healthy volunteers video clips in which people with and without speech disorders described an accident and a shopping experience. As the participants watched the video clips, their eye movements were recorded.

Focus of attention shifts

"Our results show that when people have very severe speaking difficulties and produce less informative speech, their conversation partner is more likely to pay attention to their hand movements and to look longer at their gestures," says Basil Preisig of the Department of Comparative Language Science at UZH.

In people who have no limitations in verbal production, hand gestures

are granted less attention. Thus, it seems that listeners shift their [attention](#) when the speaker has a speech impediment and focus more on the speaker's nonverbal information provided through gestures. "For people with aphasia, it may be worth using gestures more in order to be better understood by the other person," says Preisig.

Using gestures as a specific tool in therapy

Published in *Neuropsychologia*, the present study not only illustrates the importance of gestures in communication, but also reinforces their relevance in speech rehabilitation. "Individuals with [aphasia](#) should be encouraged in therapy to use all available forms of communication. This includes increased use of gestures. In addition, their family and friends need to learn about [hand gestures](#) to improve communication," Preisig believes.

More information: Karin van Nispen et al, Gesture in the eye of the beholder: An eye-tracking study on factors determining the attention for gestures produced by people with aphasia, *Neuropsychologia* (2022).

[DOI: 10.1016/j.neuropsychologia.2022.108315](https://doi.org/10.1016/j.neuropsychologia.2022.108315)

Provided by University of Zurich

Citation: Gestures can improve understanding in language disorders (2022, July 7) retrieved 27 April 2024 from <https://medicalxpress.com/news/2022-07-gestures-language-disorders.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.