


The gut patrol: A fascinating new look at what drives T cells to guard the intestines

July 29 2022



This image captures intraepithelial T cells (blue dots) and collagen in the basement membrane (green). This view shows how the cells and the basement membrane are connected. The black space is not empty—it is filled with cells in the intestinal villus, but they were not labeled with fluorescent antibodies so they do not show up. Credit: LJI Microscopy Core

Cells in the gut send secret messages to the immune system. Thanks to new research from the La Jolla Institute for Immunology (LJI), scientists



finally got a look at what they're saying.

A new study in *Science Immunology* reveals how the barrier cells that line the intestines send messages to the patrolling T cells that reside there. These cells communicate by expressing a protein called HVEM, which prompts T cells to survive longer and move more to stop potential infections.

"The research shows how barrier cells in the intestine, structural elements of the tissue, and resident immune cells communicate to provide host defense," says LJI Professor and Chief Scientific Officer Mitchell Kronenberg, Ph.D., senior author of the new study.

Barrier cells called epithelial cells form a one-cell <u>thick layer</u> that lines the gut, lined up like a busy queue outside a nightclub. The epithelial cells squish together, jostle each other and chat. Meanwhile, T cell security guards circulate around the line, looking up and down the block for signs of trouble. "These T cells move around the epithelial cells as if they are truly patrolling," says Kronenberg.

But what keeps these T cells in the epithelium on the job?

"We've got some insight on what gets T cells to the gut, but we need to understand what keeps them there," says Kronenberg. In fact, a lot of immune cells reside long-term in specific tissues. By understanding the signals that keep T cells in certain tissues, Kronenberg hopes to shed light on conditions like <u>inflammatory bowel disease</u>, where far too many inflammatory T cells gather in the bowel.

In the new study, the researchers found that important signals in the gut are sent through the basement membrane, a thin layer of proteins beneath the epithelium. In the nightclub scene, the basement membrane would be the sidewalk where everyone stands.



Their experiments show that epithelial cells receive signals through HVEM proteins on their surface that stimulate synthesis of basement membrane proteins. The team found that without HVEM, the epithelial cells couldn't do their job because they produced less collagen and other structural components needed to maintain a healthy basement membrane.

T cells detect the basement membrane via <u>adhesion molecules</u> they express on their surface, called integrins. The interaction of the T cell integrins with the basement membrane proteins promotes messages that allow the T cells to survive and patrol in the epithelium. It is as if the epithelial cells have written messages on the sidewalk: "Stay here," "Patrol here," "Do your job." Without a sufficient basement membrane, T cells could not survive as well or go on patrol.

Using a mouse model, the researchers then showed that removing HVEM expression only in the gut epithelial cells was a major blow to gut health. Patrolling T cells could not survive as well and they didn't move as much. These T cells made lousy security guards. When challenged with Salmonella typhimurium, an invasive bacterium that causes gastroenteritis, the T cells allowed the infection to take over the intestines and spread to the liver and spleen. Therefore, HVEM from epithelial cells laid the groundwork for T cells to guard the gut—it was the very reason they survived in the epithelium—communicating with the T cells indirectly through the basement membrane.

These insights came from a series of experiments spearheaded by study first authors Goo-Young Seo, Ph.D., Instructor at LJI, and Daisuke Takahashi, Ph.D., formerly of LJI and now at Keio University in Tokyo. The team worked closely with the laboratory of LJI Professor Hilde Cheroutre, Ph.D., the LJI Microscopy Core, the LJI Flow Cytometry Core, and employed intra-vital imaging RNA sequencing techniques to investigate HVEM's role in the gut.



Going forward, Kronenberg and his colleagues are interested in investigating the role of HVEM in maintaining a healthy population of gut microbes. Kronenberg says there are signs that a lack of HVEM can sway the composition of the gut microbiome even in the absence of pathogenic bacteria.

More information: Goo-Young Seo et al, Epithelial HVEM maintains intraepithelial T cell survival and contributes to host protection, *Science Immunology* (2022). DOI: 10.1126/sciimmunol.abm6931. www.science.org/doi/10.1126/sciimmunol.abm6931

Provided by La Jolla Institute for Immunology

Citation: The gut patrol: A fascinating new look at what drives T cells to guard the intestines (2022, July 29) retrieved 23 April 2024 from https://medicalxpress.com/news/2022-07-gut-patrol-fascinating-cells-intestines.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.