


Cells are able to 'talk to themselves' for better immune response

August 8 2022



Credit: CC0 Public Domain

Research from the laboratories of Dr. André Veillette, Director of Research in Molecular Oncology at the Montreal Clinical Research Institute (IRCM) and Professor and Researcher in the Department of Medicine at the Université de Montréal, and Dr. Romain Roncagalli, immunology researcher at the Marseille-Luminy Immunology Center, just published in the journal *Science Immunology*, sheds new light on the ability of cells to contribute more effectively to the body's immune

response through internal communication.

The different types of cells in the human body, including the cells of the immune system, need to communicate with each other in order to activate the body's responses to attacks of all kinds. A class of [molecules](#) called "receptors" on the surface of cells is able to recognize other molecules called "[ligands](#)" on the surface of neighboring cells. This allows the two cells to exchange information necessary to respond to changes in their environment, resulting in a defense response for the immune system.

In this paper and research, Dr. Veillette's group demonstrates that some cells possess both the [receptors](#) (CD2) and ligands (CD48, CD58) that allow this communication, making these cells able to "talk to themselves." This mechanism is probably used quite frequently throughout the body.

"This type of cellular monologue is essential for the normal functioning of the immune system," explains Dr. André Veillette, principal investigator and co-author of the paper, adding, "The ability of [cells](#) to talk to themselves is common and contributes to the well-known effectiveness of the immune response against viruses and cancers. This ability could certainly be enhanced by drugs to improve the immune response against infections and cancers." Dr. Veillette's team is currently evaluating this possibility.

More information: Bin Li et al, Cis interactions between CD2 and its ligands on T cells are required for T cell activation, *Science Immunology* (2022). [DOI: 10.1126/sciimmunol.abn6373](https://doi.org/10.1126/sciimmunol.abn6373)

Provided by CNRS

Citation: Cells are able to 'talk to themselves' for better immune response (2022, August 8) retrieved 13 May 2024 from <https://medicalxpress.com/news/2022-08-cells-immune-response.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.