

Early use of oral tecovirimat successfully eases pain in two patients with monkeypox and severe proctitis

August 18 2022



Credit: Pixabay/CC0 Public Domain

A case report suggests that early use of oral tecovirimat may be an effective treatment for patients with monkeypox and severe proctitis. The report is published in *Annals of Internal Medicine*.



Monkeypox illness includes systemic symptoms and skin eruptions, and more recent cases have involved proctitis with perianal lesions, some with severe anorectal pain. Researchers from George Washington University School of Medicine and Health Sciences describe monkeypox and its treatment in two patients with monkeypox and severe proctitis in the District of Columbia, which has the highest rate of infection per capita in the United States.

Both patients had rapid alleviation of rectal <u>pain</u> after starting treatment with oral tecovirimat with no serious adverse effects. While the authors could not determine the direct effect of tecovirimat in precipitating the rapid alleviation of the patients' symptoms, they believe that early use of tecovirimat should be considered for patients with <u>monkeypox</u> and severe proctitis until randomized controlled trials of tecovirimat can be done.

More information: Monkeypox Virus–Associated Severe Proctitis Treated With Oral Tecovirimat: A Report of Two Cases, *Annals of Internal Medicine* (2022). DOI: 10.7326/L22-0300

Provided by American College of Physicians

Citation: Early use of oral tecovirimat successfully eases pain in two patients with monkeypox and severe proctitis (2022, August 18) retrieved 10 April 2024 from https://medicalxpress.com/news/2022-08-early-oral-tecovirimat-successfully-eases.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.