


How a Japanese herbal medicine protects the gut against inflammatory bowel disease

August 19 2022



DKT protects the integrity of colonic epithelium by upregulating Muc2, the antimicrobial peptide gene *Reg3* and the fucosyltransferase gene *Fut2*. (A) *Muc2* mRNA expression in the colonic enterocytes after colitis induction (N=8 per group). (B) Immunofluorescence images of MUC2 expression (green) and DAPI (blue) staining in the rectal colonic tissue (Control N=3, DKT N=3, DSS N=4, DSS+DKT N=4). Scale bars represent 50 μ m, inset scale bars represent 50 μ m. (C) *Reg3g* and *Fut2* mRNA expression in the colonic enterocytes after colitis induction (N=8 per group). Each symbol (A, C) represents data from an individual mouse. (A, C), results are pooled from two independent experiments with four mice in each experimental group and show means \pm SEM; *p

Citation: How a Japanese herbal medicine protects the gut against inflammatory bowel disease (2022, August 19) retrieved 7 May 2024 from <https://medicalxpress.com/news/2022-08-japanese-herbal-medicine-gut-inflammatory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.