

Traditional Chinese medicine reduces side effect of cancer treatment



August 11 2022, by Lee Gaskin

Establishment of fractionated radiation-induced GIM model in SD rats. (A) Body weight changes of irradiated and non-irradiated SD rats. Eight-week-old SD rats received five fractions of 4-Gy radiation on their abdomen. The rats were weighed and recorded daily. (B) Diarrhea scores of irradiated SD rats. The animals were monitored daily for the presence and degree of diarrhea and given a score according to the scheme. (C) Overlay of body weight change and diarrhea scores of irradiated SD rats. (D, E) Representative images of H & Estained jejunum (D) and colon (E) sections during GIM. The intestines were



collected from irradiated rats on days 8, 11, and 15 and embedded in paraffin for H & E staining. Data are presented as mean ± SD. Credit: *Frontiers in Oncology* (2022). DOI: 10.3389/fonc.2022.929735

For tens of thousands of Australians who receive radiotherapy as part of their cancer treatment, mucositis is a serious side effect that may cause inflammation, ulcers, diarrhea, nausea and vomiting, abdominal pain and bloating.

Currently there is no <u>effective treatment</u> for mucositis, but researchers from the University of Adelaide have found that a type of traditional Chinese medicine reduces the severity of radiation-induced gastrointestinal mucositis (GIM) in rats.

This study—documented in the journal *Frontiers in Oncology*—outlines the potential benefits of this treatment for people who have GIM as a side effect of receiving radiotherapy to treat cancers of the stomach, abdomen and pelvis.

"While this has only been tested on rats, the findings of this research are extremely positive as they show that we may be able to provide a treatment for people who suffer from mucositis as a result of their cancer treatment," said Professor David L. Adelson, from the University of Adelaide's School of Biological Sciences, who was the corresponding author on the study.

"This is extremely important because mucositis limits the amount of therapy cancer patients can receive and significantly affects their quality of life."

In the study, which was approved by the Institutional Animal Ethics



Committee of the South Australian Health Medical Research Institute (SAHMRI), rats were exposed to radiation to their abdomen.

Half of the rats received Compound Kushen Injection (CKI)—which is a type of traditional Chinese medicine—while the other half were administered a control substance. CKI has been used extensively alone or in combination with chemotherapy or radiotherapy for many years in China.

"CKI is prepared from the roots of two <u>medicinal herbs</u>—Kushen and Baituling—as an injectable liquid," said Professor Adelson, who is the Chair of Bioinformatics and Computational Genetics at the School of Molecular and Biomedical Science, and Zhendong Professor of Molecular Chinese Medicine and Director, Zhendong Australia–China Center for Molecular Traditional Chinese Medicine.

"The study found that the rats which received CKI to their abdomen had reduced severity of GIM symptoms compared to the <u>rats</u> which had the control substance. These findings build on previous studies we have done which showed CKI has significant effects on <u>gene expression</u> in <u>cell</u> <u>lines</u>, including genes that regulate inflammation."

Dr. Yuka Harata-Lee, Post-Doctoral Researcher from the University's School of Biological Sciences, was the lead author of the study.

More information: Yuka Harata-Lee et al, Compound Kushen injection reduces severity of radiation-induced gastrointestinal mucositis in rats, *Frontiers in Oncology* (2022). DOI: 10.3389/fonc.2022.929735

Provided by University of Adelaide



Citation: Traditional Chinese medicine reduces side effect of cancer treatment (2022, August 11) retrieved 4 May 2024 from https://medicalxpress.com/news/2022-08-traditional-chinese-medicine-side-effect.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.