

Unhealthy cholesterol linked to long COVID and other prolonged illnesses

August 10 2022



Space-filling model of the Cholesterol molecule. Credit: RedAndr/Wikipedia

Scientists from King's working on the ZOE Health Study analyzed blood markers from 4,787 people and found that participants who had higher levels of harmful fats commonly linked to heart disease, were more

likely to experience ongoing symptoms from both COVID-19 and non-COVID disease.

Unlike a lot of research into the biology of long COVID, which has typically focused on hospitalized COVID-19 patients, this study compared blood markers taken from people living in the community, where the majority of people with COVID have been treated.

Researchers looked at the full spectrum of COVID-19, from people who had asymptomatic COVID-19 to Post COVID-19 Syndrome (long COVID), as well as participants who reported ongoing symptoms like COVID-19—such as a cough, headache, and fatigue—but who were found to have negative antibodies for the virus.

The analysis of blood markers also showed that those with COVID-19 symptoms for more than 28 days could not be clearly distinguished from those with non-COVID-19 illnesses of prolonged duration, and that both had a set of compounds in their blood commonly seen in patients who are risk of [heart disease](#) and diabetes.

Experts say this association could mean that research looking at ways to treat other diseases might also play a role in COVID-19.

"We saw a clear difference in blood fats of people who had had asymptomatic COVID-19 compared to those with long-lasting symptoms. The blood markers in asymptomatic people had a healthier pattern that we know is associated with a lower risk of heart attacks and diabetes. The people with long-lasting symptoms showed higher levels of '[bad cholesterol](#)', and unhealthy fatty acids," says Dr. Marc Österdahl, clinical fellow and lead author.

"We were able to look at whether changes we saw were specific to COVID-19 or whether they reflected something more general about

prolonged symptoms. What is interesting is that we saw the same pattern of harmful fats in people with long symptoms in COVID and non-COVID disease. We think this might shed light on the experience of long COVID, and other conditions, where people take time to recover from illness," says Dr. Claire Steves, co-author and lead researcher in the ZOE Health Study

This research follows a recent study led by Dr. Steves, which found one in six people report having long COVID symptoms.

The full paper is available now on *MedRxiv*.

More information: Marc F Österdahl et al, Metabolomic and gut microbiome profiles across the spectrum of community-based COVID and non-COVID disease: A COVID-19 Biobank study, *MedRxiv*

Citation: Unhealthy cholesterol linked to long COVID and other prolonged illnesses (2022, August 10) retrieved 6 May 2024 from <https://medicalxpress.com/news/2022-08-unhealthy-cholesterol-linked-covid-prolonged.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--