

Vitamin D supplementation seems to alleviate depressive symptoms in adults

August 12 2022



Credit: Unsplash/CC0 Public Domain

An extensive meta-analysis suggests that vitamin D supplementation may alleviate depressive symptoms in adults with depression. Conducted by an international team of researchers, the meta-analysis includes dozens

of studies from around the world.

Depressive symptoms cause a significant disease burden worldwide. The therapeutic efficacy of current antidepressants is often insufficient, which is why further ways to alleviate the symptoms of depression have been sought, for example, from nutritional research.

Vitamin D is believed to regulate central nervous system functions the disturbances of which have been associated with depression. In addition, cross-sectional studies have observed an association between [depressive symptoms](#) and vitamin D deficiency. However, previous meta-analyses on the effects of vitamin D supplementation on depression have been inconclusive. In a meta-analysis, results from several different studies are combined and analyzed statistically.

The new meta-analysis on the association of vitamin D supplementation with depression is the largest one published so far, including results from 41 studies from around the world. These studies have investigated the efficacy of vitamin D in alleviating depressive symptoms in adults by randomized placebo-controlled trials in different populations. The studies included those carried out in patients with depression, in the [general population](#), and in people with various physical conditions. The results of the meta-analysis show that vitamin D supplementation is more effective than a placebo in alleviating depressive symptoms in people with depression. There were major differences in the vitamin D doses used, but typically the vitamin D supplement was 50–100 micrograms per day.

"Despite the broad scope of this meta-analysis, the certainty of evidence remains low due to the heterogeneity of the populations studied and the due to the risk of bias associated with a large number of studies," Doctoral Researcher and lead author Tuomas Mikola of the Institute of Clinical Medicine at the University of Eastern Finland says. The meta-

analysis is part of Mikola's Ph.D. thesis.

"These findings will encourage new, high-level [clinical trials](#) in patients with depression in order to shed more light on the possible role of vitamin D supplementation in the treatment of depression," Mikola concludes.

The [meta-analysis](#) was published in *Critical Reviews in Food Science and Nutrition* and carried out in [international collaboration](#) between Finnish, Australian and U.S. researchers.

More information: Tuomas Mikola et al, The effect of vitamin D supplementation on depressive symptoms in adults: A systematic review and meta-analysis of randomized controlled trials, *Critical Reviews in Food Science and Nutrition* (2022). [DOI: 10.1080/10408398.2022.2096560](#)

Provided by University of Eastern Finland

Citation: Vitamin D supplementation seems to alleviate depressive symptoms in adults (2022, August 12) retrieved 14 May 2024 from <https://medicalxpress.com/news/2022-08-vitamin-d-supplementation-alleviate-depressive.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--