

When does COVID become long COVID? And what's happening in the body when symptoms persist?

September 9 2022, by Sarah Hellewell



Christopher Lemercier/Unsplash

As the COVID pandemic nears 1,000 days in Australia, we're wellversed in recognizing the cough, fever and fatigue that characterize the infection.

Almost 50% of Australians have now had COVID. Most of us will recover well, but some will experience lingering or new symptoms for



extended periods.

As we ride out COVID's peaks and troughs, a new wave of long COVID is emerging. But there's still a lot we don't know about it.

When does COVID become long COVID?

As a new illness, there is no one definition of when COVID ends and long COVID starts.

The <u>Australian Department of Health</u> defines long COVID as symptoms persisting or emerging at least four weeks after initial infection.

In contrast, the <u>Word Health Organization's guidelines</u> say long COVID starts three months after infection.

These wide-ranging timeframes have led to estimates that between 5 and 50% of people with COVID infections will develop long COVID.

What are the symptoms?

Definitions of long COVID are further complicated by a list of more than <u>200 symptoms</u> across ten parts of the body.

The most common and <u>longest-lasting symptoms</u> include brain fog and impaired memory and concentration, fatigue, headaches, tinnitus (ringing in ears), breathing difficulties, and loss of taste and smell.

For many people, these symptoms <u>flare up</u> after physical or mental exertion.

Rarer symptoms include chest pain and heart palpitations, visual



impairment and diarrhea.

People suffering long COVID have also reported <u>dental problems</u>, with teeth becoming loose and crumbling, and gums bleeding.

What causes long COVID?

We know very little about how long COVID affects the body, and why some people develop ongoing symptoms and others don't.

A recent <u>study</u> found COVID causes increases in chemical messengers that signal inflammation. Over time, this damages the insulating myelin layer of nerve cells that are essential for nerves to carry and co-ordinate messages around the body and brain.

The immune system may also be acting in more obscure ways. Antibodies produced against the SARS-CoV-2 virus may be targeting <u>specialized cells</u> in the walls of blood vessels in the brain, allowing inflammatory cells to enter brain tissue more easily.

Although preliminary, these studies could hint at the underlying mechanisms of brain fog and problems with memory and concentration.

Other studies are so fresh from the research lab they are yet to be peerreviewed (so should be interpreted more cautiously).

One such new study showed people with long COVID have higher numbers of immune cells circulating in the body, and abnormally low levels of the stress hormone <u>cortisol</u>.

Aside from stress, cortisol is also important for regulating inflammation, so low cortisol levels may be one way the immune system becomes overactive. However, these results are far from clear.



Another new <u>study</u> comparing people who recovered to those who developed long COVID found no significant changes in immune signaling chemicals in the blood, no differences in memory and thinking tests, and no differences between groups in lung or heart function.

Together, these research studies suggest that persistent activity of the <u>immune system</u> might contribute to long COVID in multiple and overlapping ways in the brain and other organs.

The causes and consequences of long COVID are a key focus of research worldwide, and are yet to be clearly defined. This is an important line of research because identifying what's happening in the body will also help us identify targets to treat long COVID.

Long COVID can have far-reaching impacts

We also need to understand how long COVID affects sufferers in more definable ways, such as their ability to work or study, and their quality of life.

The <u>federal government</u> recently announced a <u>parliamentary inquiry</u> into long COVID, which will seek to answer these questions.

Between 5 and 15 % of those with COVID infections will go on to develop long COVID.

A federal parliamentary committee has now been tasked with assessing the health, social, educational, and economic impacts of long-COVID.<u>https://t.co/AAymOhqlv1</u>

- RN Breakfast (@RNBreakfast) September 5, 2022

Although long COVID sufferers are in the minority, the lowest estimate



of a 5% rate of long COVID equates to an estimated 500,000 Australians who currently have, or will soon develop, long COVID.

If you're one of them, your GP should be your first port of call for assessment and ongoing management.

If needed, your GP can refer you to one of the specialized long COVID clinics opening across Australia. These clinics aim to treat the symptoms of long COVID using multidisciplinary approaches, and act as a central hub for patients to access evidence-based medical care to combat long COVID.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: When does COVID become long COVID? And what's happening in the body when symptoms persist? (2022, September 9) retrieved 10 May 2024 from https://medicalxpress.com/news/2022-09-covid-body-symptoms-persist.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.