

Three COVID-19 vaccines may provide greater protection from COVID-19 infections than two

September 1 2022







Researchers find a third COVID-19 vaccine dose offers better protection than two. Credit: Hakan Nural, Unsplash (CC0, creativecommons.org/publicdomain/zero/1.0/)

Two vaccine doses provide only limited and short-lived protection against SARS-CoV-2 infection with the omicron variant. A study publishing September 1 in the open-access journal *PLOS Medicine* by Mie Agermose Gram at Statens Serum Institut, Copenhagen, Denmark and colleagues suggests that a third COVID-19 vaccine dose increased the level and duration of protection against omicron infection and hospitalization.

Emergence of new SARS-CoV-2 variants may decrease long-term vaccine durability, increasing the risk of infection and hospitalization. However, evidence is limited regarding the vaccine effectiveness of three vaccines over time.

In order to estimate the effectiveness of two or three <u>vaccine doses</u> against COVID-19 infection and hospitalization, researchers conducted a nationwide cohort study of all previously uninfected Danish residents aged 12 and older by accessing individual-level data stored in the national Danish Civil Registration System and Danish Vaccination Registry. The researchers then estimated vaccine effectiveness using vaccination status as a time-varying exposure, adjusting for age, sex, geographic location, and comorbidities, before comparing infection and hospitalization rates to unvaccinated individuals.

The researchers found that a third vaccine dose provided greater protection against infection and hospitalization from the <u>omicron variant</u> than with two vaccines and also that there was less evidence of waning



protection. Future studies are needed to better understand the durability of a third vaccine dose after 120 days and evaluate the need for subsequent boosters. One limitation of the study was that the data was non-randomized, so there could be unmeasured differences between the vaccinated and unvaccinated groups.

According to the authors, "Our findings indicate that a third dose is necessary to maintain protection against infection for a longer time and to ensure a high level of protection against COVID-19 hospitalization with the Omicron variant. Continued emergence of new variants and waning vaccine durability require ongoing evaluation of <u>vaccine</u> <u>effectiveness</u> against infection and hospitalization to inform future vaccination strategies."

Gram adds, "Despite being less effective against infection with omicron than previous variants, a third mRNA COVID-19 <u>vaccine</u> dose offers better protection against omicron infection than two doses and protects well against COVID-19 hospitalization."

More information: Vaccine effectiveness against SARS-CoV-2 infection or COVID-19 hospitalization with the Alpha, Delta, or Omicron SARS-CoV-2 variant: A nationwide Danish cohort study. *PLoS Medicine* (2022). DOI: 10.1371/journal.pmed.1003992

Provided by Public Library of Science

Citation: Three COVID-19 vaccines may provide greater protection from COVID-19 infections than two (2022, September 1) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2022-09-covid-vaccines-greater-infections.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.