

Someone in my house has COVID. How likely am I to catch it?

September 23 2022, by Hassan Vally and Catherine Bennett



Credit: Rebecca Tapert/Unsplash

Throughout the pandemic, one of the biggest COVID risks has been sharing a house with someone who is infectious.

Given how contagious COVID is, especially more recent variants, you'd imagine if you lived with someone who has COVID it would be inevitable you'd get infected.



But this isn't the case. A recent study suggests you <u>have</u> a 42.7% chance of catching COVID from a housemate who tests positive to <u>omicron</u>.

That means if someone introduced the <u>omicron variant</u> to a household of six, you would expect two of the remaining five <u>household members</u>, on average, to become infected.

How is household transmission measured?

We use the "secondary attack rate" to describe the average number of secondary infections among a group of exposed people, once a virus has been introduced into to a particular setting such as a household. It accounts for a number of different factors including:

- how infectious the virus is
- how high the viral load of the infectious person is, and how efficiently they shed the virus
- the susceptibility of others present
- the characteristics of the setting such as crowding and ventilation.

The <u>secondary attack rate</u> is an average, and transmission varies considerably between households. So some households see all members infected, while others have little or no transmission.

From early in the pandemic we've also seen "superspreading," where a small number of people are responsible for a large proportion of new COVID cases.

Conversely, a large proportion of people infected don't spread it at all.

How has household transmission changed through the pandemic?



A <u>meta-analysis</u> (where the results of earlier studies are pooled together) published in April combined the results from 135 studies and 1.3 million people across 136 countries published in the *Journal of the American Medical Association (JAMA)*.

It estimates the household secondary attack rate for the original virus was 18.9%. So your risk of being infected with COVID if you shared a house with one or more <u>infected people</u> was approximately one in five.

The increase in infectiousness of new variants that emerged from late 2020 translated to an increase in household transmission. The <u>alpha</u> <u>variant</u> had a household secondary attack rate of 36.4%. This decreased to 29.7% for the <u>delta variant</u>, before increasing again to 42.7% for omicron.

However, even studies as large and comprehensive as this are limited in their ability to make direct comparisons of all the factors that may impact secondary attack rates, such as the household environment, the behavior of household contacts and the use of masks to name a few. And this study did not include the newer omicron variants.

Why has has the household secondary attack rate varied?

The secondary attack rate for the delta variant <u>declined compared to the alpha variant</u>, despite its increased infectiousness. This is likely explained by rising immunity in the population—both due to vaccination and prior infection.

While vaccines were not as effective against delta as previous variants, and the protection waned over time, they still reduced the risk of household <u>transmission</u>.



Despite a significant increase in the infectiousness of the omicron variants and their immune-escape properties, the risk of being infected in a household was still only estimated to be 42.7%. Increased immunity in the population is likely the reason it isn't higher.

Vaccination reduces transmission

The reduction in the household secondary attack rate was <u>greater</u> when households had received their booster vaccination.

The takeaway is that sharing a household with an infectious person doesn't mean you will inevitably become infected, but being fully vaccinated helps reduce the spread of omicron among household contacts.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Someone in my house has COVID. How likely am I to catch it? (2022, September 23) retrieved 4 May 2024 from https://medicalxpress.com/news/2022-09-house-covid.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.