


Using neural networks to recognize arthritis in an MRI scan

September 23 2022, by Blandina Mangelkramer



Credit: Pixabay/CC0 Public Domain

Arthritis is a widespread condition affecting hundreds of thousands of people that leads to inflammation of the joints. It has many different causes, and if physicians are to treat the disease properly, it is important that they can determine exactly which type of arthritis the patient has.



This is often no easy undertaking. A number of different parameters have to be considered and a definite diagnosis is often only possible as the disease progresses.

Computer scientists from the Chair of Computer Science 5 Pattern Recognition at Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU) and physicians from Department of Medicine 3—Rheumatology and Immunology and the Institute of Radiology at Universitätsklinikum Erlangen have conducted a study to investigate whether neural networks can determine whether a patient is suffering from rheumatoid arthritis (RA) or psoriatic arthritis (PsA). The outcome: AI was able to differentiate between the two types in 75% of cases.

The team had only recently investigated whether neural networks could determine the type of arthritis using high resolution computer tomography images. They were successful. According to Prof. Frank Roemer from the Institute of Radiology, "the advantage of MRI compared to CT is that an MRI scan gives a more accurate picture of the extent of the inflammation and the affected joint structures."

For the study, the team led by computer scientist Lukas Folle used five different MRI sequences from 649 patients to train and test an innovative neural network. The network was able to classify the type of arthritis patients were suffering from in 75% of the cases based on the MRI images.

Furthermore, the team tested how the neural network classified cases of psoriasis, which can often progress into PsA. The network correctly classified most of the psoriasis cases that later developed into PsA as PsA.

Folle believes "it is possible that the neural network picks up on early changes or other structural features in psoriasis patients and uses these to



classify them accordingly."

"Our results indicate that MRI scans can show changes that the neural network has identified as being relevant for classifying the various forms of arthritis and that have not yet been described to date," adds PD. Dr. David Simon, a physician involved in the study. "We now aim to continue training and improving the <u>neural network</u>, with an view to it possibly being used in <u>clinical practice</u>," explains Lukas Folle.

The team has now published their results in *Rheumatology*.

More information: Lukas Folle et al, Advanced neural networks for classification of MRI in psoriatic arthritis, seronegative, and seropositive rheumatoid arthritis, *Rheumatology* (2022). DOI: 10.1093/rheumatology/keac197

Provided by Friedrich-Alexander University Erlangen-Nurnberg

Citation: Using neural networks to recognize arthritis in an MRI scan (2022, September 23) retrieved 30 June 2024 from https://medicalxpress.com/news/2022-09-neural-networks-arthritis-mri-scan.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.