

Pregnant women of lower socioeconomic status more likely to not receive COVID-19 vaccine

September 9 2022



Credit: Pixabay/CC0 Public Domain

A longitudinal study of 1,899 pregnant women nationwide representing all 50 states reveals that during the COVID-19 pandemic if a pregnant

woman had lower socioeconomic status and/or were African American, she was less likely to have the intention of getting a COVID-19 vaccine and of actually receiving it. The study, led by Heidi Preis, MSW, Ph.D., of Stony Brook University, is published in *Health Psychology*.

Pregnant women are a vulnerable population for COVID-19 due to their risk for severe symptoms and adverse pregnancy outcomes. This study included women 18 and older who enrolled in the study during the second major wave of the pandemic in December 2020 and completed an additional survey three to four months later during the first quarter of 2021, once COVID-19 vaccines were available.

"We examined predictors of vaccine intention around social determinants of health and how those lead to actual vaccination uptake," explains Preis, lead author, Research Scientist in the Department of Psychology, and an Assistant Professor in the Department of Obstetrics, Gynecology and Reproductive Medicine at the Renaissance School of Medicine at Stony Brook University. "We found significant vaccination hesitancy that was clearly more prominent in socioeconomically disadvantaged groups, and this concerning given the vulnerability of [pregnant women](#) in general and of disadvantages populations in particular."

The results of the study indicated that, overall, participants with below average financial status, only a [high school education](#), and without [private health insurance](#) reported lower vaccination intention or lower vaccine uptake. Among racial and [ethnic groups](#), African Americans reported the lowest vaccine intention among all the groups. Moreover, their actual uptake was only partially explained by their vaccine intention, indicating that other factors, such as accessibility, might be at play.

Preis added that potential routes to increase vaccination in perinatal

populations include reducing medical care accessibility barriers and providing information within communities about vaccine safety and efficacy.

The authors say the strength of the study is its large cohort, longitudinal design, and answers from pregnant women from all over the country. However, it had several limitations, namely that vaccination status was based on self-reports, participants were not asked whether or not they were fully vaccinated, and the sample was not educationally, economically or racially representative of the entire U.S. population.

They conclude that "lower uptake of COVID-19 vaccination among groups of pregnant women who face barriers because of their marginalized identity or insufficient socioeconomic resources is of particular concern because these groups already experience disparate rate of poor health, including worse perinatal outcomes and higher rates of COVID-19 morbidity and mortality."

More information: Heidi Preis et al, Factors related to COVID-19 vaccination intention and uptake among childbearing women., *Health Psychology* (2022). [DOI: 10.1037/hea0001221](https://doi.org/10.1037/hea0001221)

Provided by Stony Brook University

Citation: Pregnant women of lower socioeconomic status more likely to not receive COVID-19 vaccine (2022, September 9) retrieved 5 May 2024 from <https://medicalxpress.com/news/2022-09-pregnant-women-socioeconomic-status-covid-.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--